



Stock Items Price List

Prices effective December 1, 2025

Items in this price list are made to stock and are ordered by the item number.

These items do not require a minimum order quantity.

For Finished To Order or Made To Order items, please contact your Stylmark Representative.

To learn more about the items in this price book, you can click on the below icon to view Stylmark product catalogs.



You can also visit our online store to purchase select stocked items by clicking the cart icon below.



Stylmark, Inc.
[6536 Main Street NE, PO Box 32008](#)
[Minneapolis, MN 55432](#)

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 Email: info@stylmark.com



Stock Items Price List

<u>Contents</u>	<u>Page</u>
Terms & Conditions	3
Stylmark Warranty Statement	7
Extrusions (listed numerically by part number).	8
Rolling Door Kits (listed numerically by part number)	24
Accessories (listed numerically by part number)	26



Placing an Order: You may place an order via the Stylmark eCommerce site (shop.stylmark.com), email, or phone. When placing an order, please specify the part number along with the finish number. Refer to our catalog to verify the stock lengths and the buffed/brushed finished surfaces. All buffed or brushed finishes may be purchased as non-buffed or non-brushed as well. Order acknowledgements will be sent for review.

*All order change requests are subject to additional charges.

Minimum Order Amount

Product Amount

- | | |
|---|---|
| • Stocked Finished Goods
(inc. hardware, wheels, screws, etc.) | \$ 100.00 |
| • Stocked (Finished) Extrusions | \$ 100.00 |
| • Non-Stocked Extrusions (Std Colors, per color) ¹ | Must meet Order Quantity Minimum per Item |
| • Non-Stocked Extrusions (Special Colors, per color) ² | Must meet Order Quantity Minimum per Item |
| • Non-Stocked Extrusions (Custom Colors, per color) ³ | Must meet Order Quantity Minimum per Item |
| • Fabricated Items (from Finished Goods Stock) | \$ 1,000.00 - \$10,000 |
| • Fabricated Items – custom (Orders will be evaluated) | Must be Quoted |
| • Custom colors – each request will be evaluated | Must be Quoted |

* Minimum item quantities may apply to all orders

¹ Standard colors include Natural, Black, Brown, Brass and Stainless Steel.

² Special colors include: Bronze, White Gold, Pewter and Copper.

³ Custom colors include anything not listed above or special color matches.

- Lead Times on all new orders will be reviewed and quoted based on current conditions.

Prices: Prices are subject to change without notice. Orders are shipped at prevailing prices at the time of the order. Quotes are valid for 30 days from the date of quote, unless otherwise specified. Prices do not include applicable sales taxes and delivery charges, which will be added to your order.

Taxes: Taxes are based on delivery address. If the company or job is tax exempt, please include a copy of the Tax Exemption Certificate with the order.

Methods of Payment: With approved credit, we will ship your order on an open 30-day account. To open an account, simply request a credit application. The credit approval process may take 1-2 weeks. To expedite your first order, we recommend paying with cash-in-advance. Open accounts are subject to 1%-15 days/net 30 terms. We accept Visa, Mastercard, Discover and American Express. Prepayment by check is also an acceptable method. Credit card or prepayment by check are not eligible for the prompt payment discount. Call our Customer Service Department for details.

Delivery: All orders are shipped F.O.B. Stylmark. Larger orders and 12' lengths are shipped freight via truck lines selected by Stylmark, unless otherwise specified by the customer. Smaller orders and extrusions cut to 8' or less are shipped best way parcel, prepaid & add unless otherwise specified. Shipping and handling charges for parcel shipments are added to your invoice. Expedited shipping available upon request. All freight and processing fees will be charged to the customer if collect freight terms are no longer active or in good standing with the client's chosen freight company.

International Shipping: Preferred payment options for international customers would be a wire transfer. A wire transfer fee will be charged. Stylmark currently does not arrange international transportation. Customers are responsible to coordinate transportation internationally to their locations. (Exception for parcel shipments to Canada)

Prepay and Add Freight: Eliminate the hassles associated with collect freight deliveries and let us find the most economical rate to meet your requested delivery. We will share the benefits of our established relationships with



multiple carriers and pass those savings on to you. To take advantage of this new option, simply talk to your customer service representative when you are ready to place your order. Once your order is completed and in shipping, our staff will compare rates and service levels and select the one that best fits your needs. This option is available to customers with established terms or those that remit via credit card.

NOTE: A second debit for shipping charges will be charged against the credit card when the order ships.

NOTE: Additional freight and accessorial charges prepaid by Stylmark will be invoiced separately.

Customer Pick-Up Policy: Once complete and packaged for shipment, customer pickup orders will be transacted, and you will be invoiced accordingly. As always, our shipping team will notify you that your order is ready and provide you with the weights & dimensions of your order.

All orders are to be picked up as soon as possible (within 3 days) after you have been notified. If orders are not picked up within this timeframe, Stylmark reserves the right to apply additional holding charges, including shipping the order via best method at your expense.

Limited Warranty: Stylmark products are warranted to be free from defects in workmanship and materials under normal use and service when properly installed. This warranty is limited to actual invoiced charges. We are not liable for any other damages or charges. Refer to Stylmark's complete warranty statement.

Anodizing Color Range: Stylmark strives to provide consistent and uniform anodized finishes; however, variation in gloss, light & dark, and tristimulus system values (RGB) should be expected. Additionally, because anodized coatings are translucent, appearance will vary with viewing angle and base level finish of material. Therefore, for critical installations, minimum/maximum samples which represent the acceptable range of variation in the finish should be requested & approved prior to processing any orders. Without approved range samples, Stylmark will produce orders using standard range tolerances around the target anodized finish.

Anodized Aluminum Racking Marks: All anodized aluminum extrusion and parts must have electrical contact to the part to be anodized. Various contact types are used depending upon the size and geometry of the part being anodized. The electrical contact will leave racking marks on the finished parts. Racking marks include bolt marks, clip marks or thread marks. Most extrusions will include bolt marks, and for this reason, Stylmark's typical extrusion length is 2" over its nominal length, e.g., a 12 ft extrusion measures to 146". This way the user of the finished extrusion can trim the extrusion to size and have 12 ft of usable, finished material.

Please verify allowable locations or contact Stylmark for options. Cut to length extrusions and machined parts may be racked using clips. Although clips leave smaller rack marks, they are generally placed in the least conspicuous locations possible as to minimize the appearance of the mark. It is important to communicate the critical surfaces & finish expectation to Stylmark so we can work with you to identify acceptable rack mark locations. Heavier materials and some fabricated items may require electrical contact to be made in a tapped hole in the part. In this case, the rack mark will be in and around the threads of the tapped hole where the bolt threads engage the part. If racking marks are a concern for the anodized materials on your project, you are encouraged to contact Stylmark prior to placing your order to discuss racking options.

Custom Color Charges: Stylmark has an extensive library of colors. Custom colors will be subject to an additional charge. If you have a color to match or would like a custom color, please call for details. * Minimum order quantities and longer lead times will apply.

Order Quantity Tolerances: Orders for non-stocked, made-to-order items are subject to a quantity range tolerance of +/- 10% and these items may also be subject to a minimum quantity per item. This includes all FTOE's (Finish-to-Order Extrusions) and all other products not held in Finished Goods inventory by Stylmark.

For example, for an order of 40 pieces of a made-to-order item, we may deliver 36-44 pieces, bill the actual quantity shipped at the quoted unit price and close the order. Please consider quantity tolerances when ordering made-to-order items.



Anodizing Customer Supplied Material: Stylmark provides anodizing services under limited conditions. This service is provided to only those customers which have established a program with Stylmark to anodize supplied material. (contact Stylmark Sales for program requirements)

All customer supplied material orders must be submitted with detailed drawings which clearly define the item, including the overall dimensions and critical features, aluminum alloy of the material, visible or exposed surfaces, surfaces to be mechanically finished and locations where racking contacts may be made. Orders must also include the quantity of each item and the Stylmark anodized finish code for each item.

Customer supplied material must be received in good condition, without blemishes or other damage. Anodizing cannot hide or cover scratches, machine marks, indentations, or other material blemishes. Polished or brushed finishing cannot be expected to remove damage. Customer material must be received in packaging sufficient to protect during shipment. Stylmark will notify customers if the received material shows signs of freight damage, damage due to insufficient packaging, or does not comply with the details of the acknowledged order.

It is expected that customer supplied material is shipped to Stylmark un-anodized. In the event your material is anodized, it is required that orders using pre-anodized material be approved and accepted by Stylmark and noted in the order acknowledgement. Stylmark will need to strip the anodized finish from pre-anodized material prior to Stylmark anodizing and you may incur additional charges if efforts to strip or otherwise prepare the material for anodizing exceed expectations of the order. Stylmark does not strip or otherwise remove any other coatings - such as paint, powder coating, chromate conversion coatings or adhesives.

Stylmark reserves the right to refuse any material which does not meet standards for anodizing or presents the chance of contamination of our anodizing line.

Refer to the Anodized Aluminum Racking Marks section for additional information when indicating where racking contacts may be made. Customer material which includes fabricated features - including holes, notches, or similar features – may capture liquids during the anodizing process which may leech out and leave blemishes on the material. Stylmark will attempt to prevent leeching blemishes but does not guarantee to eliminate them.

Although uncommon, in-process damage or loss of material may occur. It is for this reason Stylmark recommends that at least 10% overages of each material are included in your order. Stylmark is not responsible for damaged or lost items.

Customer material shipments which arrive without prior authorization may be refused delivery. Only ship your material to us once you have sent your purchase order and have received an order acknowledgment from Stylmark. Material received by Stylmark must match the order acknowledgment. Do not add to or otherwise change the shipment without prior authorization.

Special Order Extrusion Quantity Tolerances: All special-order extrusions are subject to quantity range tolerances as described below.

Extrusions Push Piece Part Yield

- 300-400 pounds +/- 35%
- 400-700 pounds +/- 30%
- 700-1,000 pounds +/- 25%
- 1,000-2,000 pounds +/- 15%
- 2,000-5,000 pounds +/- 10%
- 5,000-10,000 pounds +/- 7%
- 10,000-30,000 pounds +/- 5%

For example, an order for 200 pieces of a special-order extrusion may require a 300 lb. extrusion push based upon profile weight. This push may yield 200 pieces +/- 35% of the extrusion. Stylmark will ship the entire yield (for this example 140-270 pieces) of the push and you will be invoiced for the quantity shipped at the quoted unit price.

* Exact quantity orders will be subject to additional charges.



Extrusion Dies and Tooling: Unless otherwise designated in writing, all extrusion dies, and tooling remains the property of Stylmark. We hold tooling for a minimum of two years. If no order is received in any two-year period, we reserve the right to dispose of the tooling.

Design/Engineering: For customers requesting design or engineering work, a charge of \$250 per hour will apply.

Patents: On orders for customer-specified products, the customer agrees to protect and indemnify Stylmark against any infringement claims.

Shortages and Damaged Shipments: Claims for shortages and damages must be submitted in writing within 5 days of order shipment. Receiver must note damage on BOL at time of delivery. Provide signed BOL, photos of damaged material and packaging to process a claim for replacement. Stylmark will file a freight claim for damage and shortages on prepaid shipments if notified within 5 days of receipt. Keep damaged goods and packaging for inspection until advised by the carrier to dispose of them.

Return Policy: Stylmark's goal is 100% customer satisfaction. Returned materials should be wrapped for protection and tightly bundled to prevent movement in shipping. We cannot accept returns of materials that have been damaged during return shipment due to improper packaging. All returns are subject to Stylmark approval and require an RMA.

Contact your Stylmark account representative and request a Return Material Authorization (RMA) number. Please do not return materials to us without first obtaining an RMA number. Provide an order or invoice number and reason for return request.

Return the materials to us (shipped pre-paid) within 21 days of authorization, clearly marking each package with the RMA number. Include the RMA number on the packing slip. Returns shipped freight collect will be back charged for freight.

Under normal conditions, returns are only allowed on standard stock items in standard finishes and will be subject to a restocking charge (typically 25% or \$50, whichever is greater).

All material returned will be credited using quantity discount price unless referenced on invoice. Upon inspection and approval, a credit will be issued to your account

**Stylmark Warranty Statement**

Stylmark, Inc. warrants this product to be free from defects due to workmanship or materials, under normal use and service, for the following warranty period from date of shipment.

Lighting Products:

- LED Mirror Products: twenty-four (24) months

All other products: thirty (30) days

Any product that is proven to be defective in workmanship or material is returned to Stylmark, Inc. within the applicable warranty period, in accordance with the procedure described below, Stylmark, Inc. will, at its option, either repair, replace or credit the customer for the purchase price of the product, in accordance with the procedure described below. This warranty extends only to persons or organizations that originally purchase the product from Stylmark, Inc. The expressed warranty above constitutes the entire warranty of Stylmark, Inc. with respect to the products in this catalog and is in lieu of all other warranties, express or implied, including any warranty of merchantability or warranty of fitness for a particular purpose. In no event shall Stylmark, Inc. be responsible for any other costs or damages, including, but not limited to, lost revenue or profits, incidental, special or consequential damages of any nature whatsoever. Stylmark, Inc. products are designed to operate as a system. The use of other manufacturers' equipment in conjunction with Stylmark, Inc. products may be hazardous and therefore automatically voids all warranties. This warranty shall not apply to products that have been altered, improperly used or installed, subject to abnormal use or stress, or repaired by anyone other than Stylmark, Inc. authorized representative. Stylmark, Inc. will not pay labor charges or assume any responsibility for labor expended or material used to replace or repair any equipment without prior written authorization.

The following will apply to the return of any product to Stylmark, Inc. under this warranty:

- identified with Stylmark, Inc. Return Material Authorization Number;
- listed individually with Sales Order Number or copy of invoice;
- packed separately from other returns and protected from shipping damage;
- returned to Stylmark, Inc. within the applicable warranty period;
- are received, transportation pre-paid (returns shipped collect will be back-charged for freight), within 21 days of authorization at (see address below):
- and are found by Stylmark, Inc. inspection to be defective in workmanship or materials under normal use and service; will be handled in accordance with one of the two following procedures, as determined by Stylmark, Inc. Credit procedure. Stylmark, Inc. will issue credit at the actual invoice amount if a copy of that invoice is attached to the packing list. Without an invoice, Stylmark, Inc. will credit using discount pricing.

Repair or Replacement Procedure

Stylmark, Inc. will, at its option, either repair or replace the product free of charge and return it or its replacement lowest cost transportation pre-paid. The replacement will be a functionally equivalent new product. Premium transportation will be used at customer's request and expense.

The warranty will not be honored if:

- product is damaged or missing parts or accessory items.
- product exhibits evidence of field misapplications

Final disposition of any warranty claim will be determined solely by Stylmark, Inc. If inspection by Stylmark, Inc. does not disclose any defect covered by the warranty, the product will be returned or scrapped as instructed by the customer and Stylmark, Inc.'s regular service charges will apply. Products returned to the customer may be sent shipping charges collect.

If you have any questions relative to product returns to Stylmark, Inc., contact your Customer Service Representative @ 1-800-328-2495 or at info@stylmark.com

Stock Items Price List

- Stock items, are items that are made to inventory and are available off the shelf. Most orders can ship within 1-2 days depending on current inventory. If there is not enough inventory available at the time of order, a lead time will be communicated to you from one of our Customer Care Representatives.
- Please note that the non-buffed and non-brushed aluminum items may show minor material blemishes. Buffing and brushing not only enhance the appearance of the finish, but it tends to hide these minor imperfections.

Extrusions

Item #	Description	Discount Quantity Pricing		
		1	25	100
110007	CHANNEL, DOUBLE .50, (NON-ANODIZED), 146"	16.37	15.06	13.91
110007-020	CHANNEL, DOUBLE .50, SATIN NATURAL, 146"	26.07	23.98	22.16
110007-026	CHANNEL, DOUBLE .50, SATIN BROWN, 146"	26.66	24.53	22.66
110007-120	CHANNEL, DOUBLE .50, BUFFED SATIN NATURAL, 146"	27.91	25.68	23.72
110007-123	CHANNEL, DOUBLE .50, BUFFED SATIN BLACK, 146"	32.06	29.50	28.21
110007-126	CHANNEL, DOUBLE .50, BUFFED SATIN BROWN, 146"	29.27	26.93	24.88
110007-12BRN80013	CHANNEL, DOUBLE .50, BUFFED SATIN BROWN DEEP, 146"	32.39	29.80	27.53
110008	CHANNEL, DOUBLE .75, (NON-ANODIZED), 146"	14.03	12.91	11.93
110008-020	CHANNEL, DOUBLE .75, SATIN NATURAL, 146"	23.48	21.60	19.96
110008-023	CHANNEL, DOUBLE .75, SATIN BLACK, 146"	28.10	25.85	24.73
110008-110	CHANNEL, DOUBLE .75, BUFFED BRITE NATURAL, 146"	25.46	23.42	21.64
110008-120	CHANNEL, DOUBLE .75, BUFFED SATIN NATURAL, 146"	37.32	34.33	31.72
110008-123	CHANNEL, DOUBLE .75, BUFFED SATIN BLACK, 146"	30.08	27.67	26.47
110008-126	CHANNEL, DOUBLE .75, BUFFED SATIN BROWN, 146"	27.06	24.90	23.00
110008-210	CHANNEL, DOUBLE .75, BRUSHED BRITE NATURAL, 146"	39.38	36.23	33.47
110008-218	CHANNEL, DOUBLE .75, BRUSHED BRITE STAINLESS STEEL, 146"	27.94	25.70	23.75
110008-220	CHANNEL, DOUBLE .75, BRUSHED SATIN NATURAL, 146"	27.79	25.57	23.62
110009	TRACK, SINGLE, (NON-ANODIZED), 146"	8.25	7.59	7.01
110009-020	TRACK, SINGLE, SATIN NATURAL, 146"	14.56	13.40	12.38
110009-023	TRACK, SINGLE, SATIN BLACK, 146"	17.85	16.42	15.71
110009-026	TRACK, SINGLE, SATIN BROWN, 146"	14.95	13.75	12.71
110012	SHOE, STANDARD 1.00, (NON-ANODIZED), 146"	16.16	14.87	13.74
110012-020	SHOE, STANDARD 1.00, SATIN NATURAL, 146"	23.30	21.44	19.81
110012-023	SHOE, STANDARD 1.00, SATIN BLACK, 146"	25.68	23.63	22.60
110012-110	SHOE, STANDARD 1.00, BUFFED BRITE NATURAL, 146"	27.05	24.89	22.99
110012-120	SHOE, STANDARD 1.00, BUFFED SATIN NATURAL, 146"	27.22	25.04	23.14
110012-123	SHOE, STANDARD 1.00, BUFFED SATIN BLACK, 146"	29.19	26.85	25.69
110012-126	SHOE, STANDARD 1.00, BUFFED SATIN BROWN, 146"	28.15	25.90	23.93
110012-210	SHOE, STANDARD 1.00, BRUSHED BRITE NATURAL, 146"	31.40	28.89	26.69
110012-218	SHOE, STANDARD 1.00, BRUSHED BRITE STAINLESS STEEL, 146"	31.56	29.04	26.83
110014	SHOE, GLIDE ROLLING DOOR, (NON-ANODIZED), 146"	9.75	8.97	8.29

Item #	Description	Discount Quantity Pricing		
		1	25	100
110018	EXTRUSION, TEE .75, (NON-ANODIZED), 146"	12.55	11.55	10.67
110018-020	EXTRUSION, TEE .75, SATIN NATURAL, 146"	19.31	17.77	16.41
110018-110	EXTRUSION, TEE .75, BUFFED BRITE NATURAL, 146"	21.54	19.82	18.31
110019	TRACK, WHEEL DOUBLE, (NON-ANODIZED), 146"	13.15	12.10	11.18
110019-020	TRACK, WHEEL DOUBLE, SATIN NATURAL, 146"	19.97	18.37	16.97
110019-023	TRACK, WHEEL DOUBLE, SATIN BLACK, 146"	22.70	20.88	19.98
110019-026	TRACK, WHEEL DOUBLE, SATIN BROWN, 146"	20.37	18.74	17.31
110022	CHANNEL, SINGLE .50, (NON-ANODIZED), 146"	9.99	9.19	8.49
110022-020	CHANNEL, SINGLE .50, SATIN NATURAL, 146"	16.48	15.16	14.01
110022-123	CHANNEL, SINGLE .50, BUFFED SATIN BLACK, 146"	21.08	19.39	18.55
110023	CHANNEL, SINGLE .615 X .807, (NON-ANODIZED), 146"	12.64	11.63	10.74
110023-020	CHANNEL, SINGLE .615 X .807, SATIN NATURAL, 146"	19.40	17.85	16.49
110023-110	CHANNEL, SINGLE .615 X .807, BUFFED BRITE NATURAL, 146"	21.27	19.57	18.08
110023-113	CHANNEL, SINGLE .615 X .807, BUFFED BRITE BLACK, 146"	23.87	21.96	21.01
110023-123	CHANNEL, SINGLE .615 X .807, BUFFED SATIN BLACK, 146"	24.02	22.10	21.14
110024	MOLDING, EDGE, (NON-ANODIZED), 146"	6.96	6.40	5.92
110024-020	MOLDING, EDGE, SATIN NATURAL, 146"	13.13	12.08	11.16
110024-110	MOLDING, EDGE, BUFFED BRITE NATURAL, 146"	14.37	13.22	12.21
110024-112	MOLDING, EDGE, BUFFED BRITE BRONZE, 146"	15.77	14.51	13.40
110024-120	MOLDING, EDGE, BUFFED SATIN NATURAL, 146"	14.54	13.38	12.36
110024-123	MOLDING, EDGE, BUFFED SATIN BLACK, 146"	17.84	16.41	15.70
110024-210	MOLDING, EDGE, BRUSHED BRITE NATURAL, 146"	17.42	16.03	14.81
110024-218	MOLDING, EDGE, BRUSHED BRITE STAINLESS STEEL, 146"	17.59	16.18	14.95
110026	MOLDING, EDGE, (NON-ANODIZED), 146"	13.73	12.63	11.67
110026-020	MOLDING, EDGE, SATIN NATURAL, 146"	20.61	18.96	17.52
110026-110	MOLDING, EDGE, BUFFED BRITE NATURAL, 146"	23.14	21.29	19.67
110026-120	MOLDING, EDGE, BUFFED SATIN NATURAL, 146"	23.30	21.44	19.81
110026-123	MOLDING, EDGE, BUFFED SATIN BLACK, 146"	25.69	23.63	22.61
110026-210	MOLDING, EDGE, BRUSHED BRITE NATURAL, 146"	28.69	26.39	24.39
110026-218	MOLDING, EDGE, BRUSHED BRITE STAINLESS STEEL, 146"	28.86	26.55	24.53
110027	DOOR PULL, (NON-ANODIZED), 146"	13.50	12.42	11.48
110027-020	DOOR PULL, SATIN NATURAL, 146"	20.36	18.73	17.31
110028-020	DOOR PULL, FLUSH, SATIN NATURAL, 146"	30.74	28.28	26.13
110028-110	DOOR PULL, FLUSH, BUFFED BRITE NATURAL, 146"	37.22	34.24	31.64
110028-120	DOOR PULL, FLUSH, BUFFED SATIN NATURAL, 146"	38.72	35.62	32.91
110028-123	DOOR PULL, FLUSH, BUFFED SATIN BLACK, 146"	38.30	35.24	33.70
110028-210	DOOR PULL, FLUSH, BRUSHED BRITE NATURAL, 146"	42.63	39.22	36.24
110028-218	DOOR PULL, FLUSH, BRUSHED BRITE STAINLESS STEEL, 146"	42.80	39.38	36.38
110029	DOOR PULL, (NON-ANODIZED), 146"	23.93	22.02	20.34
110029-020	DOOR PULL, SATIN NATURAL, 146"	34.43	31.68	29.27
110030	ANGLE, .50 X .50, (NON-ANODIZED), 146"	6.63	6.10	5.64
110030-013	ANGLE, .50 X .50, BRITE BLACK, 146"	12.83	11.80	10.91
110030-020	ANGLE, .50 X .50, SATIN NATURAL, 146"	10.04	9.24	8.53
110030-110	ANGLE, .50 X .50, BUFFED BRITE NATURAL, 146"	15.41	14.18	13.10
110030-112	ANGLE, .50 X .50, BUFFED BRITE BRONZE, 146"	22.21	20.43	18.88

Item #	Description	Discount Quantity Pricing		
		1	25	100
110030-123	ANGLE, .50 X .50, BUFFED SATIN BLACK, 146"	18.46	16.98	16.24
110030-218	ANGLE, .50 X .50, BRUSHED BRITE STAINLESS STEEL, 146"	16.59	15.26	14.10
110030-220	ANGLE, .50 X .50, BRUSHED SATIN NATURAL, 146"	20.91	19.24	17.77
110034	ANGLE, .75 X .75, (NON-ANODIZED), 146"	9.99	9.19	8.49
110034-020	ANGLE, .75 X .75, SATIN NATURAL, 146"	16.48	15.16	14.01
110034-110	ANGLE, .75 X .75, BUFFED BRITE NATURAL, 146"	20.47	18.83	17.40
110034-111	ANGLE, .75 X .75, BUFFED BRITE BRASS, 146"	20.86	19.19	17.73
110034-112	ANGLE, .75 X .75, BUFFED BRITE BRONZE, 146"	21.63	19.90	18.39
110034-113	ANGLE, .75 X .75, BUFFED BRITE BLACK, 146"	22.94	21.10	20.19
110034-120	ANGLE, .75 X .75, BUFFED SATIN NATURAL, 146"	20.40	18.77	17.34
110034-123	ANGLE, .75 X .75, BUFFED SATIN BLACK, 146"	23.30	21.44	20.50
110034-128	ANGLE, .75 X .75, BUFFED SATIN STAINLESS STEEL, 146"	20.50	18.86	17.43
110034-210	ANGLE, .75 X .75, BRUSHED BRITE NATURAL, 146"	20.71	19.05	17.60
110034-218	ANGLE, .75 X .75, BRUSHED BRITE STAINLESS STEEL, 146"	21.11	19.42	17.94
110034-220	ANGLE, .75 X .75, BRUSHED SATIN NATURAL, 146"	20.78	19.12	17.66
110035	TRACK, SLIDE ROLLING DOOR, (NON-ANODIZED), 146"	9.15	8.42	7.78
110036	CHANNEL, DOUBLE, (NON-ANODIZED), 146"	15.95	14.67	13.56
110051	BAR, RECTANGLE 2.000 X .500, (NON-ANODIZED), 146"	110.64	101.79	94.04
110061	JAMB, ROLLING DOOR, (NON-ANODIZED), 146"	15.83	14.56	13.46
110061-020	JAMB, ROLLING DOOR, SATIN NATURAL, 146"	25.62	23.57	21.78
110061-110	JAMB, ROLLING DOOR, BUFFED BRITE NATURAL, 146"	32.94	30.30	28.00
110061-120	JAMB, ROLLING DOOR, BUFFED SATIN NATURAL, 146"	33.19	30.53	28.21
110061-123	JAMB, ROLLING DOOR, BUFFED SATIN BLACK, 146"	36.79	33.85	32.38
110061-210	JAMB, ROLLING DOOR, BRUSHED BRITE NATURAL, 146"	29.59	27.22	25.15
110061-218	JAMB, ROLLING DOOR, BRUSHED BRITE STAINLESS STEEL, 146"	29.84	27.45	25.36
110063	TRACK, DOUBLE, (NON-ANODIZED), 146"	15.49	14.25	13.17
110063-020	TRACK, DOUBLE, SATIN NATURAL, 146"	22.56	20.76	19.18
110065	TEE, ANTI-JUMP, (NON-ANODIZED), 146"	4.23	3.89	3.60
110065-020	TEE, ANTI-JUMP, SATIN NATURAL, 146"	10.12	9.31	8.60
110065-110	TEE, ANTI-JUMP, BUFFED BRITE NATURAL, 146"	12.13	11.16	10.31
110065-112	TEE, ANTI-JUMP, BUFFED BRITE BRONZE, 146"	13.53	12.45	11.50
110067	SHOE, HEAVY DUTY 1.188, (NON-ANODIZED), 146"	20.43	18.80	17.37
110067-020	SHOE, HEAVY DUTY 1.188, SATIN NATURAL, 146"	30.55	28.11	25.97
110069	DOOR PULL, .300 X 60°, (NON-ANODIZED), 146"	22.65	20.84	19.25
110069-020	DOOR PULL, .300 X 60°, SATIN NATURAL, 146"	30.47	28.03	25.90
110071-020	FRAME, TOP REAR, SATIN NATURAL, 146"	74.51	68.55	63.33
110078	TRACK, DOOR ROLLING, (NON-ANODIZED), 146"	22.65	20.84	19.25
110078-020	TRACK, DOOR ROLLING, SATIN NATURAL, 146"	30.47	28.03	25.90
110078-120	TRACK, DOOR ROLLING, BUFFED SATIN NATURAL, 146"	30.42	27.99	25.86
110078-123	TRACK, DOOR ROLLING, BUFFED SATIN BLACK, 146"	33.52	30.84	29.50
110079	TRACK, DOOR WOOD, (NON-ANODIZED), 146"	14.22	13.08	12.09
110079-020	TRACK, DOOR WOOD, SATIN NATURAL, 146"	21.16	19.47	17.99
110079-023	TRACK, DOOR WOOD, SATIN BLACK, 146"	23.77	21.87	20.92
110080	CHANNEL, SINGLE .75 X 1.00, (NON-ANODIZED), 146"	16.71	15.37	14.20
110080-020	CHANNEL, SINGLE .75 X 1.00, SATIN NATURAL, 146"	23.90	21.99	20.32

Item #	Description	Discount Quantity Pricing		
		1	25	100
110080-023	CHANNEL, SINGLE .75 X 1.00, SATIN BLACK, 146"	24.33	22.38	20.68
110080-123	CHANNEL, SINGLE .75 X 1.00, BUFFED SATIN BLACK, 146"	27.98	25.74	24.62
110087	TUBE, ROUND .50 OD, (NON-ANODIZED), 146"	8.67	7.98	7.37
110087-020	TUBE, ROUND .50 OD, SATIN NATURAL, 146"	15.02	13.82	12.77
110090	ANGLE, SECURITY TOP GLASS, (NON-ANODIZED), 146"	14.56	13.40	12.38
110090-020	ANGLE, SECURITY TOP GLASS, SATIN NATURAL, 146"	21.53	19.81	18.30
110090-110	ANGLE, SECURITY TOP GLASS, BUFFED BRITE NATURAL, 146"	24.77	22.79	21.05
110090-218	ANGLE, SECURITY TOP GLASS, BRUSHED BRITE STAINLESS STEEL, 146"	25.98	23.90	22.08
110093	MOLDING, TEE .813, (NON-ANODIZED), 146"	8.79	8.09	7.47
110093-110	MOLDING, TEE .813, BUFFED BRITE NATURAL, 146"	17.32	15.93	14.72
110093-112	MOLDING, TEE .813, BUFFED BRITE BRONZE, 146"	18.72	17.22	15.91
110093-218	MOLDING, TEE .813, BRUSHED BRITE STAINLESS STEEL, 146"	16.75	15.41	14.24
110099-020	STRIP, REFLECTOR 0.750 WIDE, SATIN NATURAL, 148"	9.67	8.90	8.22
110099-023	STRIP, REFLECTOR 0.750 WIDE, SATIN BLACK, 148"	13.48	12.40	11.86
110099-123	STRIP, REFLECTOR 0.750 WIDE, BUFFED SATIN BLACK, 148"	14.51	13.35	12.77
110099-126	STRIP, REFLECTOR 0.750 WIDE, BUFFED SATIN BROWN, 148"	10.93	10.06	9.29
110099-218	STRIP, REFLECTOR 0.750 WIDE, BRUSHED BRITE STAINLESS STEEL, 148"	12.15	11.18	10.33
110102	FRAME, TOP REAR, (NON-ANODIZED), 146"	56.62	52.09	48.13
110102-020	FRAME, TOP REAR, SATIN NATURAL, 146"	73.46	67.58	62.44
110102-210	FRAME, TOP REAR, BRUSHED BRITE NATURAL, 146"	77.57	71.36	65.93
110104	DRAWER PULL, .750 30° GUARD, (NON-ANODIZED), 146"	32.21	29.63	27.38
110104-020	DRAWER PULL, .750 30° GUARD, SATIN NATURAL, 146"	43.58	40.09	37.04
110104-120	DRAWER PULL, .750 30° GUARD, BUFFED SATIN NATURAL, 146"	46.95	43.19	39.91
110104-123	DRAWER PULL, .750 30° GUARD, BUFFED SATIN BLACK, 146"	49.11	45.18	43.22
110105	DRAWER PULL, .813 30° GUARD, (NON-ANODIZED), 146"	34.36	31.61	29.21
110105-020	DRAWER PULL, .813 30° GUARD, SATIN NATURAL, 146"	45.96	42.28	39.07
110105-110	DRAWER PULL, .813 30° GUARD, BUFFED BRITE NATURAL, 146"	49.55	45.59	42.12
110105-113	DRAWER PULL, .813 30° GUARD, BUFFED BRITE BLACK, 146"	51.44	47.32	45.27
110105-218	DRAWER PULL, .813 30° GUARD, BRUSHED BRITE STAINLESS STEEL, 146"	54.20	49.86	46.07
110106	MULLION, SHOWCASE, (NON-ANODIZED), 146"	52.90	48.67	44.97
110106-020	MULLION, SHOWCASE, SATIN NATURAL, 146"	66.44	61.12	56.47
110106-110	MULLION, SHOWCASE, BUFFED BRITE NATURAL, 146"	70.27	64.65	59.73
110106-120	MULLION, SHOWCASE, BUFFED SATIN NATURAL, 146"	74.65	68.68	63.45
110106-123	MULLION, SHOWCASE, BUFFED SATIN BLACK, 146"	70.22	64.60	61.79
110106-210	MULLION, SHOWCASE, BRUSHED BRITE NATURAL, 146"	74.45	68.49	63.28
110106-218	MULLION, SHOWCASE, BRUSHED BRITE STAINLESS STEEL, 146"	74.70	68.72	63.50
110106-220	MULLION, SHOWCASE, BRUSHED SATIN NATURAL, 146"	74.55	68.59	63.37
110107	FRAME, GLASS TOP, (NON-ANODIZED), 146"	21.15	19.46	17.98
110107-020	FRAME, GLASS TOP, SATIN NATURAL, 146"	28.81	26.51	24.49
110107-220	FRAME, GLASS TOP, BRUSHED SATIN NATURAL, 146"	33.18	30.53	28.20
110108	DRAWER PULL, .750 FLAT GUARD, (NON-ANODIZED), 146"	31.84	29.29	27.06
110108-110	DRAWER PULL, .750 FLAT GUARD, BUFFED BRITE NATURAL, 146"	50.68	46.63	43.08
110111	DRAWER PULL, W/LABEL HOLDER, (NON-ANODIZED), 146"	44.06	40.54	37.45
110113	TUBE, SQUARE 1.00, (NON-ANODIZED), 146"	29.20	26.86	24.82
110114	TUBE, SQUARE 1.00 W/LEG, (NON-ANODIZED), 146"	33.20	30.54	28.22

Item #	Description	Discount Quantity Pricing		
		1	25	100
110119	CHANNEL, SECURITY 1/4, (NON-ANODIZED), 146"	14.52	13.36	12.34
110119-020	CHANNEL, SECURITY 1/4, SATIN NATURAL, 146"	21.49	19.77	18.27
110122	SUPPORT, GLASS TOP AND SIDE, (NON-ANODIZED), 146"	24.16	22.23	20.54
110122-220	SUPPORT, GLASS TOP AND SIDE, BRUSHED SATIN NATURAL, 146"	37.06	34.10	31.50
110124	CHANNEL, BASE, (NON-ANODIZED), 146"	14.77	13.59	12.55
110124-020	CHANNEL, BASE, SATIN NATURAL, 146"	21.76	20.02	18.50
110125	CHANNEL, GLAZING, (NON-ANODIZED), 146"	10.61	9.76	9.02
110127-220	TEE, STANDARD COVER, BRUSHED BRITE NATURAL, 146"	24.06	22.14	20.45
110135	SHELL, REFLECTOR, (NON-ANODIZED), 146"	38.03	34.99	32.33
110135-020	SHELL, REFLECTOR, SATIN NATURAL, 146"	50.01	46.01	42.51
110137	COVER TEE, W/.25 RETURN, (NON-ANODIZED), 146"	14.05	12.93	11.94
110140	SHOE, HEAVY DUTY 1.500, (NON-ANODIZED), 146"	27.47	25.27	23.35
110140-020	SHOE, HEAVY DUTY 1.500, SATIN NATURAL, 146"	38.34	35.27	32.59
110140-110	SHOE, HEAVY DUTY 1.500, BUFFED BRITE NATURAL, 146"	43.75	40.25	37.19
110140-120	SHOE, HEAVY DUTY 1.500, BUFFED SATIN NATURAL, 146"	44.00	40.48	37.40
110140-123	SHOE, HEAVY DUTY 1.500, BUFFED SATIN BLACK, 146"	46.47	42.75	40.89
110140-210	SHOE, HEAVY DUTY 1.500, BRUSHED BRITE NATURAL, 146"	46.36	42.65	39.41
110140-218	SHOE, HEAVY DUTY 1.500, BRUSHED BRITE STAINLESS STEEL, 146"	46.60	42.87	39.61
110140-220	SHOE, HEAVY DUTY 1.500, BRUSHED SATIN NATURAL, 146"	46.46	42.74	39.49
110150	ANGLE, 1.50 X 1.50, (NON-ANODIZED), 146"	39.16	36.03	33.29
110150-020	ANGLE, 1.50 X 1.50, SATIN NATURAL, 146"	54.15	49.82	46.03
110150-112	ANGLE, 1.50 X 1.50, BUFFED BRITE BRONZE, 146"	62.44	57.44	53.07
110150-123	ANGLE, 1.50 X 1.50, BUFFED SATIN BLACK, 146"	63.36	58.29	55.76
110150-216	ANGLE, 1.50 X 1.50, BRUSHED BRITE BROWN, 146"	63.93	58.82	54.34
110150-218	ANGLE, 1.50 X 1.50, BRUSHED BRITE STAINLESS STEEL, 146"	62.40	57.41	53.04
110150-220	ANGLE, 1.50 X 1.50, BRUSHED SATIN NATURAL, 146"	62.20	57.22	52.87
110153	MOLDING, EDGE HEAVY DUTY, (NON-ANODIZED), 146"	39.93	36.74	33.94
110153-218	MOLDING, EDGE HEAVY DUTY, BRUSHED BRITE STAINLESS STEEL, 146"	60.37	55.54	51.31
110156	MOLDING, HINGE, (NON-ANODIZED), 146"	21.22	19.52	18.04
110159	ANGLE, 1.000 X .500 X .063, (NON-ANODIZED), 146"	9.99	9.19	8.49
110159-020	ANGLE, 1.000 X .500 X .063, SATIN NATURAL, 146"	16.48	15.16	14.01
110159-110	ANGLE, 1.000 X .500 X .063, BUFFED BRITE NATURAL, 146"	20.24	18.62	17.20
110159-112	ANGLE, 1.000 X .500 X .063, BUFFED BRITE BRONZE, 146"	21.63	19.90	18.39
110159-120	ANGLE, 1.000 X .500 X .063, BUFFED SATIN NATURAL, 146"	20.40	18.77	17.34
110159-123	ANGLE, 1.000 X .500 X .063, BUFFED SATIN BLACK, 146"	23.09	21.24	20.32
110159-12BRN80013	ANGLE, 1.000 X .500 X .063, BUFFED SATIN DEEP BROWN, 146"	23.46	21.58	19.94
110159-212	ANGLE, 1.000 X .500 X .063, BRUSHED BRITE BRONZE, 146"	26.01	23.93	22.11
110160	TUBE, RECTANGLE 2.500 X 1.750, (NON-ANODIZED), 146"	95.80	88.14	81.43
110162	CHANNEL, TOP 1.187 X .75, (NON-ANODIZED), 146"	18.89	17.38	16.06
110162-020	CHANNEL, TOP 1.187 X .75, SATIN NATURAL, 146"	26.32	24.21	22.37
110162-023	CHANNEL, TOP 1.187 X .75, SATIN BLACK, 146"	28.39	26.12	24.98
110165	ANGLE, 1.00 X 1.00, (NON-ANODIZED), 146"	13.41	12.34	11.40
110165-020	ANGLE, 1.00 X 1.00, SATIN NATURAL, 146"	22.80	20.98	19.38
110165-023	ANGLE, 1.00 X 1.00, SATIN BLACK, 146"	27.49	25.29	24.19
110165-110	ANGLE, 1.00 X 1.00, BUFFED BRITE NATURAL, 146"	27.98	25.74	23.78

Item #	Description	Discount Quantity Pricing		
		1	25	100
110165-112	ANGLE, 1.00 X 1.00, BUFFED BRITE BRONZE, 146"	28.68	26.39	24.38
110165-121	ANGLE, 1.00 X 1.00, BUFFED SATIN BRASS, 146"	28.00	25.76	23.80
110165-123	ANGLE, 1.00 X 1.00, BUFFED SATIN BLACK, 146"	31.14	28.65	27.40
110165-210	ANGLE, 1.00 X 1.00, BRUSHED BRITE NATURAL, 146"	27.48	25.28	23.36
110165-218	ANGLE, 1.00 X 1.00, BRUSHED BRITE STAINLESS STEEL, 146"	27.34	25.15	23.24
110165-220	ANGLE, 1.00 X 1.00, BRUSHED SATIN NATURAL, 146"	27.58	25.37	23.44
110166	STRIP, 1.00 X .125, (NON-ANODIZED), 146"	13.83	12.72	11.76
110166-020	STRIP, 1.00 X .125, SATIN NATURAL, 146"	20.73	19.07	17.62
110166-110	STRIP, 1.00 X .125, BUFFED BRITE NATURAL, 146"	23.02	21.18	19.57
110166-120	STRIP, 1.00 X .125, BUFFED SATIN NATURAL, 146"	23.63	21.74	20.09
110166-123	STRIP, 1.00 X .125, BUFFED SATIN BLACK, 146"	25.46	23.42	22.40
110166-218	STRIP, 1.00 X .125, BRUSHED BRITE STAINLESS STEEL, 146"	23.21	21.35	19.73
110167	ANGLE, 2.00 X 2.00 X .125, (NON-ANODIZED), 146"	53.56	49.28	45.53
110167-020	ANGLE, 2.00 X 2.00 X .125, SATIN NATURAL, 146"	76.28	70.18	64.84
110167-111	ANGLE, 2.00 X 2.00 X .125, BUFFED BRITE BRASS, 146"	85.28	78.46	72.49
110167-112	ANGLE, 2.00 X 2.00 X .125, BUFFED BRITE BRONZE, 146"	87.68	80.67	74.53
110167-123	ANGLE, 2.00 X 2.00 X .125, BUFFED SATIN BLACK, 146"	90.20	82.98	79.38
110167-218	ANGLE, 2.00 X 2.00 X .125, BRUSHED BRITE STAINLESS STEEL, 146"	84.50	77.74	71.83
110167-220	ANGLE, 2.00 X 2.00 X .125, BRUSHED SATIN NATURAL, 146"	84.19	77.45	71.56
110168	ANGLE, 1.500 X .750 X .125, (NON-ANODIZED), 146"	29.92	27.53	25.43
110168-020	ANGLE, 1.500 X .750 X .125, SATIN NATURAL, 146"	41.05	37.77	34.89
110168-110	ANGLE, 1.500 X .750 X .125, BUFFED BRITE NATURAL, 146"	46.46	42.74	39.49
110168-112	ANGLE, 1.500 X .750 X .125, BUFFED BRITE BRONZE, 146"	48.51	44.63	41.23
110168-123	ANGLE, 1.500 X .750 X .125, BUFFED SATIN BLACK, 146"	48.89	44.98	43.02
110171	COLOR STRIP, 1.25 X .094, (NON-ANODIZED), 146"	14.77	13.59	12.55
110171-020	COLOR STRIP, 1.25 X .094, SATIN NATURAL, 146"	24.30	22.36	20.66
110178	TRACK, SECURITY, (NON-ANODIZED), 146"	24.73	22.75	21.02
110178-020	TRACK, SECURITY, SATIN NATURAL, 146"	32.76	30.14	27.85
110178-110	TRACK, SECURITY, BUFFED BRITE NATURAL, 146"	34.18	31.45	29.05
110178-120	TRACK, SECURITY, BUFFED SATIN NATURAL, 146"	34.35	31.60	29.20
110178-123	TRACK, SECURITY, BUFFED SATIN BLACK, 146"	35.58	32.73	31.31
110178-210	TRACK, SECURITY, BRUSHED BRITE NATURAL, 146"	35.06	32.26	29.80
110178-218	TRACK, SECURITY, BRUSHED BRITE STAINLESS STEEL, 146"	35.23	32.41	29.95
110178-220	TRACK, SECURITY, BRUSHED SATIN NATURAL, 146"	35.13	32.32	29.86
110180	ANGLE, .625 X .437, (NON-ANODIZED), 146"	7.28	6.70	6.19
110180-020	ANGLE, .625 X .437, SATIN NATURAL, 146"	13.48	12.40	11.46
110180-112	ANGLE, .625 X .437, BUFFED BRITE BRONZE, 146"	23.31	21.45	19.81
110180-123	ANGLE, .625 X .437, BUFFED SATIN BLACK, 146"	19.44	17.88	17.11
110182	ANGLE, 1.250 X .375 X .063, (NON-ANODIZED), 146"	11.00	10.12	9.35
110182-020	ANGLE, 1.250 X .375 X .063, SATIN NATURAL, 146"	20.13	18.52	17.11
110182-110	ANGLE, 1.250 X .375 X .063, BUFFED BRITE NATURAL, 146"	24.72	22.74	21.01
110182-112	ANGLE, 1.250 X .375 X .063, BUFFED BRITE BRONZE, 146"	24.18	22.25	20.55
110182-121	ANGLE, 1.250 X .375 X .063, BUFFED SATIN BRASS, 146"	26.08	23.99	22.17
110182-123	ANGLE, 1.250 X .375 X .063, BUFFED SATIN BLACK, 146"	29.42	27.07	25.89
110182-218	ANGLE, 1.250 X .375 X .063, BRUSHED BRITE STAINLESS STEEL, 146"	28.39	26.12	24.13

Item #	Description	Discount Quantity Pricing		
		1	25	100
110192-020	COVER TEE, W/LIP, SATIN NATURAL, 146"	34.99	32.19	29.74
110194	COVER STRIP, (NON-ANODIZED), 146"	19.24	17.70	16.35
110200	TRIM, HALF ROUND 1.50, (NON-ANODIZED), 146"	19.02	17.50	16.17
110200-020	TRIM, HALF ROUND 1.50, SATIN NATURAL, 146"	28.99	26.67	24.64
110201	TRIM, HALF ROUND 2.00, (NON-ANODIZED), 146"	28.46	26.18	24.19
110208	TRACK, SECURITY ROLLING DOOR, (NON-ANODIZED), 146"	30.95	28.47	26.31
110208-020	TRACK, SECURITY ROLLING DOOR, SATIN NATURAL, 146"	45.08	41.47	38.32
110208-023	TRACK, SECURITY ROLLING DOOR, SATIN BLACK, 146"	55.88	51.41	47.50
110210	TRIM, HALF ROUND 4.00, (NON-ANODIZED), 146"	51.72	47.58	43.96
110210-210	TRIM, HALF ROUND 4.00, BRUSHED BRITE NATURAL, 146"	87.46	80.46	74.34
110214	TRIM, WALL CROWN, (NON-ANODIZED), 146"	61.84	56.89	52.56
110215	POST, VERTICAL 180° 2-WAY, (NON-ANODIZED), 146"	184.71	169.93	157.00
110221-030	TRIM BASE, 2.00, SEALED NATURAL, 145.5"	30.28	27.86	25.74
110222-030	TRIM BASE, RECESSED 1.00 X .375, SEALED NATURAL, 145.5"	27.32	25.13	23.22
110223	TRIM, RECTANGULAR 1.375 X .328, (NON-ANODIZED), 146"	14.96	13.76	12.72
110225	TRIM, RECTANGULAR 1.50 X .50, (NON-ANODIZED), 146"	19.09	17.56	16.23
110225-113	TRIM, RECTANGULAR 1.50 X .50, BUFFED BRITE BLACK, 146"	40.09	36.88	35.28
110225-123	TRIM, RECTANGULAR 1.50 X .50, BUFFED SATIN BLACK, 146"	28.82	26.51	25.36
110226	TRIM, RECTANGULAR 3.00 X .75, (NON-ANODIZED), 146"	39.92	36.73	33.93
110227	TRIM, RECTANGULAR 4.00 X .75, (NON-ANODIZED), 146"	48.22	44.36	40.99
110229	BAR, RECTANGLE .125 X 3.500, (NON-ANODIZED), 146"	49.36	45.41	41.96
110229-123	BAR, RECTANGLE .125 X 3.500, BUFFED SATIN BLACK, 146"	85.65	78.80	75.37
110232	TRIM, RECTANGULAR 4.000 X 2.000, (NON-ANODIZED), 146"	63.83	58.72	54.26
110234	TRIM, CORNICE 4.00, (NON-ANODIZED), 146"	47.99	44.15	40.79
110245	TRIM, RECTANGLE 3.000 X 1.500, (NON-ANODIZED), 146"	56.08	51.59	47.67
110248	TRIM, RECTANGULAR 1.00 X .50, (NON-ANODIZED), 146"	18.31	16.85	15.56
110248-123	TRIM, RECTANGULAR 1.00 X .50, BUFFED SATIN BLACK, 146"	37.00	34.04	32.56
110251	SHOE FILLER, (NON-ANODIZED), 146"	4.81	4.43	4.09
110258	DRAWER PULL, WOOD PRESS FIT, (NON-ANODIZED), 146"	45.87	42.20	38.99
110261-030	TRIM BASE, 3.00, SEALED NATURAL, 145.5"	47.72	43.90	40.56
110265-030	TRIM BASE, .625, SEALED NATURAL, 145.5"	17.05	15.69	14.49
110267	TRIM, HALF ROUND .75 DIA, (NON-ANODIZED), 146"	6.22	5.72	5.29
110268	Z STRIP, .25 PANEL, (NON-ANODIZED), 146"	11.65	10.72	9.90
110269	TRIM, RECTANGULAR 6.00 X .75, (NON-ANODIZED), 146"	74.55	68.59	63.37
110293	ANGLE, 2.500 X 1.000 X .063, (NON-ANODIZED), 146"	25.22	23.20	21.44
110293-020	ANGLE, 2.500 X 1.000 X .063, SATIN NATURAL, 146"	44.97	41.37	38.22
110293-123	ANGLE, 2.500 X 1.000 X .063, BUFFED SATIN BLACK, 146"	63.76	58.66	56.11
110293-126	ANGLE, 2.500 X 1.000 X .063, BUFFED SATIN BROWN, 146"	57.20	52.62	48.62
110293-218	ANGLE, 2.500 X 1.000 X .063, BRUSHED BRITE STAINLESS STEEL, 146"	53.20	48.94	45.22
110297-030	TRIM BASE, 1.00, SEALED NATURAL, 145.5"	16.39	15.08	13.93
110298	TRIM, T-ANGLE 1.50 T4, (NON-ANODIZED), 146"	32.23	29.65	27.40
110298-210	TRIM, T-ANGLE 1.50 T4, BRUSHED BRITE NATURAL, 146"	47.83	44.00	40.66
110304	TRIM, RECTANGULAR 2.25 X .50, (NON-ANODIZED), 146"	32.00	29.44	27.20
110305	STRIP, TRIM .070 X 6.984, (NON-ANODIZED), 96"	36.73	33.79	31.22
110306	ANGLE, 135° 1.50 X 1.50 X .125, (NON-ANODIZED), 146"	41.57	38.24	35.33

Item #	Description	Discount Quantity Pricing		
		1	25	100
110307	TRIM, RECTANGULAR 2.00 X .625, (NON-ANODIZED), 146"	29.17	26.84	24.79
110307-216	TRIM, RECTANGULAR 2.00 X .625, BRUSHED BRITE BROWN, 146"	56.69	52.15	48.19
110328	TRIM, HALF ROUND 1.00, (NON-ANODIZED), 146"	14.77	13.59	12.55
110337-030	TRIM BASE, RECESSED 3.00 X .187, SEALED NATURAL, 145.5"	41.44	38.12	35.22
110341	MOLDING, EDGE W/LEG, (NON-ANODIZED), 146"	19.47	17.91	16.55
110348	TUBE, ROUND .812 ID, (NON-ANODIZED), 146"	16.97	15.61	14.42
110350	SHOE, HEAVY DUTY 1.857, (NON-ANODIZED), 146"	38.44	35.36	32.67
110350-020	SHOE, HEAVY DUTY 1.857, SATIN NATURAL, 146"	52.69	48.47	44.79
110350-120	SHOE, HEAVY DUTY 1.857, BUFFED SATIN NATURAL, 146"	60.19	55.37	51.16
110358	CHANNEL, ANCHOR, (NON-ANODIZED), 146"	58.56	53.88	49.78
110358-018	CHANNEL, ANCHOR, BRITE STAINLESS STEEL, 146"	72.31	66.53	61.46
110358-020	CHANNEL, ANCHOR, SATIN NATURAL, 146"	72.70	66.88	61.80
110358-023	CHANNEL, ANCHOR, SATIN BLACK, 146"	72.17	66.40	63.51
110360	CHANNEL, 1.00 X 2.00 W/.75 OPENING, (NON-ANODIZED), 146"	62.83	57.80	53.41
110360-020	CHANNEL, 1.00 X 2.00 W/.75 OPENING, SATIN NATURAL, 146"	80.31	73.89	68.26
110360-110	CHANNEL, 1.00 X 2.00 W/.75 OPENING, BUFFED BRITE NATURAL, 146"	87.13	80.16	74.06
110360-123	CHANNEL, 1.00 X 2.00 W/.75 OPENING, BUFFED SATIN BLACK, 146"	87.96	80.92	77.40
110360-218	CHANNEL, 1.00 X 2.00 W/.75 OPENING, BRUSHED BRITE STAINLESS STEEL, 146"	82.25	75.67	69.91
110361	CHANNEL, 1.00 X 1.00, (NON-ANODIZED), 146"	23.58	21.69	20.04
110361-020	CHANNEL, 1.00 X 1.00, SATIN NATURAL, 146"	34.04	31.32	28.93
110361-110	CHANNEL, 1.00 X 1.00, BUFFED BRITE NATURAL, 146"	37.87	34.84	32.19
110361-112	CHANNEL, 1.00 X 1.00, BUFFED BRITE BRONZE, 146"	39.92	36.73	33.93
110361-120	CHANNEL, 1.00 X 1.00, BUFFED SATIN NATURAL, 146"	38.11	35.06	32.39
110361-123	CHANNEL, 1.00 X 1.00, BUFFED SATIN BLACK, 146"	41.20	37.90	36.26
110361-210	CHANNEL, 1.00 X 1.00, BRUSHED BRITE NATURAL, 146"	38.26	35.20	32.52
110361-218	CHANNEL, 1.00 X 1.00, BRUSHED BRITE STAINLESS STEEL, 146"	38.50	35.42	32.73
110361-220	CHANNEL, 1.00 X 1.00, BRUSHED SATIN NATURAL, 146"	38.38	35.31	32.62
110372	CHANNEL, SINGLE W/EXTENDED LEG, (NON-ANODIZED), 146"	13.69	12.59	11.64
110372-020	CHANNEL, SINGLE W/EXTENDED LEG, SATIN NATURAL, 146"	23.11	21.26	19.64
110372-123	CHANNEL, SINGLE W/EXTENDED LEG, BUFFED SATIN BLACK, 146"	29.41	27.06	25.88
110391	ACCENT STRIP, .422 X .125, (NON-ANODIZED), 146"	5.78	5.32	4.91
110394	EDGING, GLASS SHELF .25, (NON-ANODIZED), 146"	14.05	12.93	11.94
110394-020	EDGING, GLASS SHELF .25, SATIN NATURAL, 146"	20.96	19.28	17.82
110395	EDGING, GLASS SHELF .375, (NON-ANODIZED), 146"	14.52	13.36	12.34
110395-020	EDGING, GLASS SHELF .375, SATIN NATURAL, 146"	21.49	19.77	18.27
110398	ACCENT STRIP, .422 X .138, (NON-ANODIZED), 146"	6.73	6.19	5.72
110403	FRAME, FACE .375, (NON-ANODIZED), 146"	18.89	17.38	16.06
110403-112	FRAME, FACE .375, BUFFED BRITE BRONZE, 146"	30.33	27.90	25.78
110410	TRIM, SQUARE .75, (NON-ANODIZED), 146"	12.79	11.77	10.87
110412	SHOE, HEAVY DUTY DEEP POCKET, (NON-ANODIZED), 146"	40.32	37.09	34.27
110412-020	SHOE, HEAVY DUTY DEEP POCKET, SATIN NATURAL, 146"	55.44	51.00	47.12
110412-110	SHOE, HEAVY DUTY DEEP POCKET, BUFFED BRITE NATURAL, 146"	63.50	58.42	53.98
110412-120	SHOE, HEAVY DUTY DEEP POCKET, BUFFED SATIN NATURAL, 146"	63.83	58.72	54.26
110412-123	SHOE, HEAVY DUTY DEEP POCKET, BUFFED SATIN BLACK, 146"	66.80	61.46	58.78
110412-210	SHOE, HEAVY DUTY DEEP POCKET, BRUSHED BRITE NATURAL, 146"	63.39	58.32	53.88

Item #	Description	Discount Quantity Pricing		
		1	25	100
110412-218	SHOE, HEAVY DUTY DEEP POCKET, BRUSHED BRITE STAINLESS STEEL, 146"	63.72	58.62	54.16
110412-220	SHOE, HEAVY DUTY DEEP POCKET, BRUSHED SATIN NATURAL, 146"	63.52	58.44	53.99
110413	CHANNEL, .75 X 4.00, (NON-ANODIZED), 146"	140.63	129.38	119.54
110419	BAR, RECTANGLE .125 X 3.000 6463-T6, (NON-ANODIZED), 146"	44.29	40.75	37.65
110419-020	BAR, RECTANGLE .125 X 3.000 6463-T6, SATIN NATURAL, 146"	66.04	60.76	56.13
110419-112	BAR, RECTANGLE .125 X 3.000 6463-T6, BUFFED BRITE BRONZE, 146"	75.99	69.91	64.59
110419-123	BAR, RECTANGLE .125 X 3.000 6463-T6, BUFFED SATIN BLACK, 146"	79.74	73.36	70.17
110419-218	BAR, RECTANGLE .125 X 3.000 6463-T6, BRUSHED BRITE STAINLESS STEEL, 146"	70.50	64.86	59.93
110423	TUBE, ROUND .50 OD, (NON-ANODIZED), 146"	13.23	12.17	11.25
110424	TRIM, CORNER 1.50 X 1.50, (NON-ANODIZED), 146"	20.14	18.53	17.12
110424-111	TRIM, CORNER 1.50 X 1.50, BUFFED BRITE BRASS, 146"	39.55	36.39	33.62
110424-123	TRIM, CORNER 1.50 X 1.50, BUFFED SATIN BLACK, 146"	45.17	41.56	39.75
110428	CHANNEL, ANCHOR 2.516 X 1.250, (NON-ANODIZED), 146"	69.80	64.22	59.33
110434	HEADER, DELUXE 2.562 X 2.50, (NON-ANODIZED), 146"	228.83	210.52	194.51
110451	ANGLE, .875 X .875 X .063, (NON-ANODIZED), 146"	12.02	11.06	10.22
110451-020	ANGLE, .875 X .875 X .063, SATIN NATURAL, 146"	21.26	19.56	18.07
110451-110	ANGLE, .875 X .875 X .063, BUFFED BRITE NATURAL, 146"	24.79	22.81	21.07
110451-123	ANGLE, .875 X .875 X .063, BUFFED SATIN BLACK, 146"	29.48	27.12	25.94
110451-218	ANGLE, .875 X .875 X .063, BRUSHED BRITE STAINLESS STEEL, 146"	29.51	27.15	25.08
110461	CHANNEL, 2.00 X 1.00, (NON-ANODIZED), 146"	53.57	49.28	45.53
110481	BOTTOM SILL, 6.00, (NON-ANODIZED), 146"	353.68	325.39	300.63
110481-020	BOTTOM SILL, 6.00, SATIN NATURAL, 146"	438.72	403.62	372.91
110481-123	BOTTOM SILL, 6.00, BUFFED SATIN BLACK, 146"	473.95	436.03	417.08
110481-218	BOTTOM SILL, 6.00, BRUSHED BRITE STAINLESS STEEL, 146"	454.45	418.09	386.28
110482	BOTTOM SILL, 4.00, (NON-ANODIZED), 146"	240.41	221.18	204.35
110482-020	BOTTOM SILL, 4.00, SATIN NATURAL, 146"	295.60	271.95	251.26
110482-123	BOTTOM SILL, 4.00, BUFFED SATIN BLACK, 146"	315.73	290.47	277.84
110482-218	BOTTOM SILL, 4.00, BRUSHED BRITE STAINLESS STEEL, 146"	311.37	286.46	264.66
110483	CHANNEL, TOP 2.00 X 1.75, (NON-ANODIZED), 146"	96.03	88.35	81.63
110483-020	CHANNEL, TOP 2.00 X 1.75, SATIN NATURAL, 146"	130.06	119.66	110.55
110483-120	CHANNEL, TOP 2.00 X 1.75, BUFFED SATIN NATURAL, 146"	142.88	131.45	121.45
110483-123	CHANNEL, TOP 2.00 X 1.75, BUFFED SATIN BLACK, 146"	149.15	137.22	131.25
110483-218	CHANNEL, TOP 2.00 X 1.75, BRUSHED BRITE STAINLESS STEEL, 146"	145.80	134.14	123.93
110500-030	TRIM BASE, RECESSED .625, SEALED NATURAL, 146"	23.40	21.53	19.89
110521	STRIP, FILLER, (NON-ANODIZED), 146"	9.50	8.74	8.08
110521-123	STRIP, FILLER, BUFFED SATIN BLACK, 146"	21.16	19.47	18.62
110522-030	TRIM BASE, .75, SEALED NATURAL, 145.5"	11.81	10.87	10.04
110523	HEADER, BACKFRAME, (NON-ANODIZED), 146"	58.38	53.71	49.62
110538	TRIM STRIP, 1.656 X .125, (NON-ANODIZED), 146"	23.86	21.95	20.28
110538-020	TRIM STRIP, 1.656 X .125, SATIN NATURAL, 146"	34.35	31.60	29.20
110538-218	TRIM STRIP, 1.656 X .125, BRUSHED BRITE STAINLESS STEEL, 146"	36.83	33.88	31.31
110548-123	COVER, OUTSIDE SMOOTH H, BUFFED SATIN BLACK, 146"	53.57	49.28	47.14
110560	ROD, .750 DIA, (NON-ANODIZED), 146"	51.86	47.71	44.08
110577	MOLDING, SHOWCASE, (NON-ANODIZED), 146"	9.75	8.97	8.29
110577-020	MOLDING, SHOWCASE, SATIN NATURAL, 146"	16.21	14.91	13.78

Item #	Description	Discount Quantity Pricing		
		1	25	100
110577-123	MOLDING, SHOWCASE, BUFFED SATIN BLACK, 146"	21.83	20.08	19.21
110577-210	MOLDING, SHOWCASE, BRUSHED BRITE NATURAL, 146"	20.49	18.85	17.42
110577-218	MOLDING, SHOWCASE, BRUSHED BRITE STAINLESS STEEL, 146"	20.65	19.00	17.55
110577-220	MOLDING, SHOWCASE, BRUSHED SATIN NATURAL, 146"	20.55	18.91	18.08
110582	RAIL, SHOWCASE, (NON-ANODIZED), 146"	36.66	33.73	31.16
110639	TRIM, RECTANGULAR 2.000 X 1.000, (NON-ANODIZED), 146"	34.72	31.94	29.51
110640	CHANNEL, SHOWCASE TOP REAR .50 TOP GLASS, (NON-ANODIZED), 146"	58.90	54.19	50.07
110641	TUBE, SQUARE 2.000, (NON-ANODIZED), 146"	111.25	102.35	94.56
110648	BAR, 1.000 X 1.000, (NON-ANODIZED), 146"	117.33	107.94	99.73
110648-918	BAR, 1.000 X 1.000, STRAIGHT LINE SCRATCH BRITE STAINLESS STEEL, 146"	146.32	134.61	124.37
110649	CHANNEL, SECURITY, (NON-ANODIZED), 146"	15.60	14.35	13.26
110650	CHANNEL, .375 GLASS, (NON-ANODIZED), 146"	10.10	9.29	8.59
110650-020	CHANNEL, .375 GLASS, SATIN NATURAL, 146"	16.60	15.27	14.11
110650-123	CHANNEL, .375 GLASS, BUFFED SATIN BLACK, 146"	21.90	20.15	19.27
110652	F CHANNEL, .375 GLASS, (NON-ANODIZED), 146"	17.36	15.97	14.76
110653	FRAME, FRONT W/SECURITY LIP .375 GLASS, (NON-ANODIZED), 146"	26.93	24.78	22.89
110655	BAR, .250 X 6.50, (NON-ANODIZED), 120"	147.77	135.95	125.60
110665	BAR, RECTANGLE .500 X .250, (NON-ANODIZED), 146"	14.77	13.59	12.55
110665-123	BAR, RECTANGLE .500 X .250, BUFFED SATIN BLACK, 146"	27.32	25.13	24.04
110665-211	BAR, RECTANGLE .500 X .250, BRUSHED BRITE BRASS, 146"	28.17	25.92	23.94
110669	EDGE MOLDING, .750 COLUMN, (NON-ANODIZED), 146"	81.21	74.71	69.03
110669-01-110	EDGE MOLDING, .750 COLUMN, BUFFED BRITE NATURAL, 96"	83.30	76.64	70.81
110669-020	EDGE MOLDING, .750 COLUMN, SATIN NATURAL, 146"	106.84	98.29	90.81
110669-110	EDGE MOLDING, .750 COLUMN, BUFFED BRITE NATURAL, 146"	109.50	100.74	93.08
110669-123	EDGE MOLDING, .750 COLUMN, BUFFED SATIN BLACK, 146"	113.68	104.59	100.04
110670	SHELF EDGING, .250 GLASS, (NON-ANODIZED), 146"	18.66	17.17	15.86
110671	F CHANNEL, .250 GLASS UNEQUAL LEGS, (NON-ANODIZED), 146"	21.50	19.78	18.28
110672	RECTANGULAR TRIM, 3/4 X 13/64, (NON-ANODIZED), 146"	4.92	4.53	4.18
110672-111	RECTANGULAR TRIM, 3/4 X 13/64, BUFFED BRITE BRASS, 146"	15.81	14.55	13.44
110673-030	TRIM BASE, .675, SEALED NATURAL, 145.5"	10.60	9.75	9.01
110683	U CHANNEL, 1.716 X .750, (NON-ANODIZED), 122"	19.14	17.61	16.27
110689	BAR, SQUARE .500 X .500, (NON-ANODIZED), 146"	29.13	26.80	24.76
110693	BAR, RECTANGLE .500 X .188, (NON-ANODIZED), 146"	11.03	10.15	9.38
110693-121	BAR, RECTANGLE .500 X .188, BUFFED SATIN BRASS, 146"	20.86	19.19	17.73
110699	H CHANNEL, 1.500 X 1.750, (NON-ANODIZED), 120"	101.44	93.32	86.22
110700	TOP CHANNEL, 1.500 X 1.750, (NON-ANODIZED), 120"	63.58	58.49	54.04
110705	TUBE, RECTANGLE .625 X .750 X .060, (NON-ANODIZED), 96"	12.46	11.46	10.59
110705-020	TUBE, RECTANGLE .625 X .750 X .060, SATIN NATURAL, 96"	19.21	17.67	16.33
110706	ROD, 1.125 DIA, (NON-ANODIZED), 146"	116.63	107.30	99.14
110709	BAR, RECTANGLE 1.338 X .500, (NON-ANODIZED), 146"	79.00	72.68	67.15
110711	MOLDING, .750 PANEL, (NON-ANODIZED), 146"	18.31	16.85	15.56
110713-030	TRIM BASE, 4.50, SEALED NATURAL, 145.5"	74.93	68.94	63.69
110719	SHELL, REFLECTOR 30° OPENING W/TOP GLASS LIP, (NON-ANODIZED), 146"	52.55	48.35	44.67
110725	U CHANNEL, .375 GLASS W/ LEG, (NON-ANODIZED), 146"	16.78	15.44	14.26
110728	ANGLE, .555 X 1.526 X .070, (NON-ANODIZED), 146"	16.55	15.23	14.07

Item #	Description	Discount Quantity Pricing		
		1	25	100
110728-110	ANGLE, .555 X 1.526 X .070, BUFFED BRITE NATURAL, 146"	27.92	25.69	23.73
110730	U CHANNEL .375 GLASS, (NON-ANODIZED), 146"	14.77	13.59	12.55
110731	TUBE, RECTANGLE .750 X 1.625 X .062, (NON-ANODIZED), 146"	35.03	32.23	29.78
110734	TEE, 2.000 X .500, (NON-ANODIZED), 120"	30.86	28.39	26.23
110735	TEE, .500 X .750, (NON-ANODIZED), 120"	15.81	14.55	13.44
110737	ANGLE, .250 X 1.000, (NON-ANODIZED), 120"	7.14	6.57	6.07
110737-020	ANGLE, .250 X 1.000, SATIN NATURAL, 120"	13.33	12.26	11.33
110737-123	ANGLE, .250 X 1.000, BUFFED SATIN BLACK, 120"	20.27	18.65	17.84
110738	H CHANNEL, .438 X 1.750, (NON-ANODIZED), 146"	71.44	65.72	60.72
110739	TRIM, 1.000 X 1.000, (NON-ANODIZED), 146"	22.17	20.40	18.84
110739-111	TRIM, 1.000 X 1.000, BUFFED BRITE BRASS, 146"	38.06	35.02	32.35
110739-112	TRIM, 1.000 X 1.000, BUFFED BRITE BRONZE, 146"	39.96	36.76	33.97
110741	TRIM, 2.00 BULLNOSE, (NON-ANODIZED), 146"	73.58	67.69	62.54
110741-12BRN80013	TRIM, 2.00 BULLNOSE, BUFFED SATIN BROWN DEEP, 146"	104.16	95.83	88.54
110747	TUBE, SQUARE 3.000 X 3.000 X .125, (NON-ANODIZED), 146"	180.55	166.11	153.47
110750	U CHANNEL, 1.500 X .875 W/.750 OPENING, (NON-ANODIZED), 146"	27.46	25.26	23.34
110757	U CHANNEL, .750 X .750 X .125, (NON-ANODIZED), 146"	27.67	25.46	23.52
110757-020	U CHANNEL, .750 X .750 X .125, SATIN NATURAL, 146"	36.02	33.14	30.62
110757-123	U CHANNEL, .750 X .750 X .125, BUFFED SATIN BLACK, 146"	41.07	37.78	36.14
110760	U CHANNEL, .983 X .313 X .063, (NON-ANODIZED), 146"	10.63	9.78	9.04
110764	ANGLE, UNEQUAL LEGS .875 X .375 X .125, (NON-ANODIZED), 146"	16.53	15.21	14.05
110764-123	ANGLE, UNEQUAL LEGS .875 X .375 X .125, BUFFED SATIN BLACK, 146"	26.81	24.67	23.59
110787	BAR, RECTANGLE 1.500 X .125, (NON-ANODIZED), 146"	21.18	19.49	18.00
110787-020	BAR, RECTANGLE 1.500 X .125, SATIN NATURAL, 146"	31.39	28.88	26.68
110787-123	BAR, RECTANGLE 1.500 X .125, BUFFED SATIN BLACK, 146"	40.24	37.02	35.41
110787-126	BAR, RECTANGLE 1.500 X .125, BUFFED SATIN BROWN, 146"	38.41	35.34	32.65
110788	BAR, RECTANGLE .75 X .25, (NON-ANODIZED), 146"	21.41	19.70	18.20
110788-01	BAR, RECTANGLE .75 X .25, (NON-ANODIZED), 120"	18.20	16.74	15.47
110788-123	BAR, RECTANGLE .75 X .25, BUFFED SATIN BLACK, 146"	36.01	33.13	31.69
110788-211	BAR, RECTANGLE .75 X .25, BRUSHED BRITE BRASS, 146"	45.00	41.40	38.25
110788-216	BAR, RECTANGLE .75 X .25, BRUSHED BRITE BROWN, 146"	45.70	42.04	38.85
110788-218	BAR, RECTANGLE .75 X .25, BRUSHED BRITE STAINLESS STEEL, 146"	44.94	41.34	38.20
110789	TUBE, SQUARE 1.000 X 1.000 X .125, (NON-ANODIZED), 146"	49.82	45.83	42.35
110790	3.5 BULLNOSE, (NON-ANODIZED), 146"	96.71	88.97	82.20
110810	BAR, SQUARE .250 X .250, (NON-ANODIZED), 146"	7.31	6.73	6.21
110810-020	BAR, SQUARE .250 X .250, SATIN NATURAL, 146"	13.52	12.44	11.49
110810-110	BAR, SQUARE .250 X .250, BUFFED BRITE NATURAL, 146"	16.17	14.88	13.74
110810-123	BAR, SQUARE .250 X .250, BUFFED SATIN BLACK, 146"	19.44	17.88	17.11
110810-211	BAR, SQUARE .250 X .250, BRUSHED BRITE BRASS, 146"	29.34	26.99	24.94
110844	ANGLE, 4.0 X .500 X .063, (NON-ANODIZED), 146"	32.95	30.31	28.01
110844-020	ANGLE, 4.0 X .500 X .063, SATIN NATURAL, 146"	60.36	55.53	51.31
110844-123	ANGLE, 4.0 X .500 X .063, BUFFED SATIN BLACK, 146"	88.24	81.18	77.65
110844-218	ANGLE, 4.0 X .500 X .063, BRUSHED BRITE STAINLESS STEEL, 146"	68.60	63.11	58.31
110866	ANGLE, 1.380 X 1.000 X .157, (NON-ANODIZED), 146"	40.96	37.68	34.82
110923	TUBE, RECTANGLE 1.000 X 4.000 X .125, (NON-ANODIZED), 152"	155.29	142.87	132.00

Item #	Description	Discount Quantity Pricing		
		1	25	100
110950	TUBE, SQUARE 1.25 X .09, (NON-ANODIZED), 146"	52.16	47.99	44.34
110951	DOOR PULL, 1/4 GLASS 2.290, (NON-ANODIZED), 146"	28.87	26.56	24.54
110955	U CHANNEL, 1.000 X 2.500 W/.75 OPENING, (NON-ANODIZED), 146"	82.37	75.78	70.01
110959	TEE, .750 X .375 X .125, (NON-ANODIZED), 146"	14.66	13.49	12.46
110962	CHANNEL, .625 X 1.875, (NON-ANODIZED), 120"	75.58	69.53	64.24
110981	CHANNEL, .500 X .750 X .125 WALL, (NON-ANODIZED), 146"	21.91	20.16	18.62
110983	BAR, RECTANGLE 4.000 X .188, (NON-ANODIZED), 146"	87.99	80.95	74.79
110984	CHANNEL, 1.500 X 1.500 X .125, (NON-ANODIZED), 146"	62.30	57.32	52.96
110986	ANGLE, 2.000 X 2.750 X .125, (NON-ANODIZED), 146"	65.59	60.34	55.75
110993	TRIM, OUTSIDE CORNER 90°, (NON-ANODIZED), 146"	23.12	21.27	19.65
110994	ANGLE, 1.000 X .500 X .125, (NON-ANODIZED), 146"	20.18	18.57	17.15
110994-126	ANGLE, 1.000 X .500 X .125, BUFFED SATIN BROWN, 146"	34.20	31.46	29.07
110995	TEE, 2.000 X .875, (NON-ANODIZED), 146"	40.36	37.13	34.31
110996	ANGLE, 1.125 X 1.125 X .125, (NON-ANODIZED), 146"	30.06	27.66	25.55
110996-020	ANGLE, 1.125 X 1.125 X .125, SATIN NATURAL, 146"	41.21	37.91	35.03
110996-123	ANGLE, 1.125 X 1.125 X .125, BUFFED SATIN BLACK, 146"	50.21	46.19	44.18
110997	ANGLE, .875 X .875 X .125, (NON-ANODIZED), 146"	23.81	21.91	20.24
110997-110	ANGLE, .875 X .875 X .125, BUFFED BRITE NATURAL, 146"	35.51	32.67	30.18
110997-123	ANGLE, .875 X .875 X .125, BUFFED SATIN BLACK, 146"	36.76	33.82	32.35
111002	EDGING, 1.53 X .125, (NON-ANODIZED), 146"	22.58	20.77	19.19
111002-211	EDGING, 1.53 X .125, BRUSHED BRITE BRASS, 146"	37.50	34.50	31.88
111002-220	EDGING, 1.53 X .125, BRUSHED SATIN NATURAL, 146"	37.26	34.28	31.67
111002-223	EDGING, 1.53 X .125, BRUSHED SATIN BLACK, 146"	40.43	37.20	35.58
111002-226	EDGING, 1.53 X .125, BRUSHED SATIN BROWN, 146"	38.62	35.53	32.83
111002-22BRN80013	EDGING, 1.53 X .125, BRUSHED SATIN BROWN DEEP, 146"	41.06	37.78	34.90
111007	BOTTOM SILL, 2.00 X 8.00, (NON-ANODIZED), 146"	438.64	403.55	372.84
111010	CHANNEL, 1.00 X 1.75 W/.75 OPENING, (NON-ANODIZED), 146"	55.92	51.45	47.53
111010-020	CHANNEL, 1.00 X 1.75 W/.75 OPENING, SATIN NATURAL, 146"	72.68	66.87	61.78
111010-120	CHANNEL, 1.00 X 1.75 W/.75 OPENING, BUFFED SATIN NATURAL, 146"	81.07	74.58	68.91
111010-123	CHANNEL, 1.00 X 1.75 W/.75 OPENING, BUFFED SATIN BLACK, 146"	82.24	75.66	72.37
111010-218	CHANNEL, 1.00 X 1.75 W/.75 OPENING, BRUSHED BRITE STAINLESS STEEL, 146"	80.94	74.46	68.80
111011	BOTTOM SILL, 2.50 x 8.00, (NON-ANODIZED), 146"	497.90	458.07	423.22
111012	CHANNEL, HEADER 2.000 W/GROOVE W/LEGS, (NON-ANODIZED), 146"	58.07	53.42	49.36
111013	CHANNEL, 1.00 X 2.00 W/GROOVE, (NON-ANODIZED), 146"	62.61	57.60	53.22
111013-020	CHANNEL, 1.00 X 2.00 W/GROOVE, SATIN NATURAL, 146"	79.41	73.06	67.50
111013-110	CHANNEL, 1.00 X 2.00 W/GROOVE, BUFFED BRITE NATURAL, 146"	86.23	79.33	73.30
111013-120	CHANNEL, 1.00 X 2.00 W/GROOVE, BUFFED SATIN NATURAL, 146"	87.23	80.25	74.15
111013-123	CHANNEL, 1.00 X 2.00 W/GROOVE, BUFFED SATIN BLACK, 146"	87.15	80.18	76.69
111013-218	CHANNEL, 1.00 X 2.00 W/GROOVE, BRUSHED BRITE STAINLESS STEEL, 146"	87.66	80.65	74.51
111013-220	CHANNEL, 1.00 X 2.00 W/GROOVE, BRUSHED SATIN NATURAL, 146"	88.13	81.08	74.91
111014	BOTTOM SILL, 2.50 x 6.00, (NON-ANODIZED), 146"	415.16	381.95	352.89
111015	BOTTOM SILL, 2.50 x 4.00, (NON-ANODIZED), 146"	258.79	238.09	219.97
111018	TUBE, ROUND .625 OD .063 WALL, (NON-ANODIZED), 146"	20.95	19.27	17.81
111024	BAR, RECTANGLE 3.875 X .125 W/.020 CROWN, (NON-ANODIZED), 146"	61.24	56.34	52.05
111025	BAR, RECTANGLE 1.250 X .187, (NON-ANODIZED), 146"	27.63	25.42	23.49

Item #	Description	Discount Quantity Pricing		
		1	25	100
111026	BAR, RECTANGLE 3.875 X .125, (NON-ANODIZED), 146"	56.69	52.15	48.19
111027	TEE, 1.000 X .500 X .125 WITH BARBS, (NON-ANODIZED), 146"	13.48	12.40	11.46
111027-123	TEE, 1.000 X .500 X .125 WITH BARBS, BUFFED SATIN BLACK, 146"	32.23	29.65	28.36
111028	TEE, 1.375 X .500 X .125 WITH BARBS, (NON-ANODIZED), 146"	24.44	22.48	20.77
111029	BAR, RECTANGULAR 1.250 X .125, (NON-ANODIZED), 146"	18.42	16.95	15.66
111029-123	BAR, RECTANGULAR 1.250 X .125, BUFFED SATIN BLACK, 146"	38.53	35.45	33.91
111036	TEE, 1.594 X .813 X .094, (NON-ANODIZED), 146"	18.52	17.04	15.74
111037	BAR, RECTANGLE .594 X .094, (NON-ANODIZED), 146"	5.02	4.62	4.27
111037-123	BAR, RECTANGLE .594 X .094, BUFFED SATIN BLACK, 146"	17.13	15.76	15.07
111038	BAR, 6.450 X .500, (NON-ANODIZED), 146"	380.29	349.87	323.25
111039	ANGLE, 5.250 X 2.250 X .125, (NON-ANODIZED), 146"	108.17	99.52	91.94
111040	BAR, 1.750 X .500, (NON-ANODIZED), 146"	102.65	94.44	87.25
111048	DOOR PULL, 1.500 X .750, (NON-ANODIZED), 146"	27.16	24.99	23.09
111050	BAR, RECTANGLE 5.000 X .125, (NON-ANODIZED), 146"	73.22	67.36	62.24
111051	BAR, RECTANGLE 5.750 X .125, (NON-ANODIZED), 146"	85.03	78.23	72.28
111058	TUBE, RECTANGLE 1.000 X .750 X .125, (NON-ANODIZED), 146"	47.09	43.32	40.03
111059	ROD, .312 DIA, (NON-ANODIZED), 146"	8.97	8.25	7.62
111061	BAR, 2.500 X .070, (NON-ANODIZED), 146"	20.67	19.02	17.57
111062	ANGLE, 1.000 X 1.000 X .25, (NON-ANODIZED), 146"	51.62	47.49	43.88
111068	MOLDING, Y 1.000 X 1.000 X 1.000, (NON-ANODIZED), 146"	44.23	40.69	37.60
111071	ANGLE, 1.250 X 1.250 X .125, (NON-ANODIZED), 146"	32.87	30.24	27.94
111071-020	ANGLE, 1.250 X 1.250 X .125, SATIN NATURAL, 146"	44.30	40.76	37.66
111071-120	ANGLE, 1.250 X 1.250 X .125, BUFFED SATIN NATURAL, 146"	49.13	45.20	41.76
111071-123	ANGLE, 1.250 X 1.250 X .125, BUFFED SATIN BLACK, 146"	51.06	46.98	44.93
111071-218	ANGLE, 1.250 X 1.250 X .125, BRUSHED BRITE STAINLESS STEEL, 146"	52.56	48.36	44.68
111072	CHANNEL, 1.000 X 1.500 W/GROOVE, (NON-ANODIZED), 146"	52.90	48.67	44.97
111072-020	CHANNEL, 1.000 X 1.500 W/GROOVE, SATIN NATURAL, 146"	69.35	63.80	58.95
111072-123	CHANNEL, 1.000 X 1.500 W/GROOVE, BUFFED SATIN BLACK, 146"	76.96	70.80	67.72
111072-218	CHANNEL, 1.000 X 1.500 W/GROOVE, BRUSHED BRITE STAINLESS STEEL, 146"	77.59	71.38	65.95
111073	BAR, 2.500 X .500, (NON-ANODIZED), 146"	141.20	129.90	120.02
111077	ANGLE, 1.500 X .500 X .125, (NON-ANODIZED), 146"	27.63	25.42	23.49
111078	BAR, RECTANGLE 1.250 X .750, (NON-ANODIZED), 146"	110.65	101.80	94.05
111082	EDGE MOULDING, .563 COLUMN, (NON-ANODIZED), 146"	71.92	66.17	61.13
111083	TUBE, SQUARE 1.500 X 1.500 X .120 WALL, (NON-ANODIZED), 146"	83.13	76.48	70.66
111089	CHANNEL, 1.25 X 2.00 WITH GROOVE, (NON-ANODIZED), 146"	67.43	62.04	57.32
111089-020	CHANNEL, 1.25 X 2.00 WITH GROOVE, SATIN NATURAL, 146"	85.39	78.56	72.58
111089-123	CHANNEL, 1.25 X 2.00 WITH GROOVE, BUFFED SATIN BLACK, 146"	92.52	85.12	81.42
111089-218	CHANNEL, 1.25 X 2.00 WITH GROOVE, BRUSHED BRITE STAINLESS STEEL, 146"	93.65	86.16	79.60
111091	CHANNEL, 1.25 X 1.00, (NON-ANODIZED), 146"	41.68	38.35	35.43
111091-020	CHANNEL, 1.25 X 1.00, SATIN NATURAL, 146"	54.04	49.72	45.93
111091-123	CHANNEL, 1.25 X 1.00, BUFFED SATIN BLACK, 146"	59.11	54.38	52.02
111091-218	CHANNEL, 1.25 X 1.00, BRUSHED BRITE STAINLESS STEEL, 146"	62.29	57.31	52.95
111094	ANGLE, 2.000 X 1.000 X .125, (NON-ANODIZED), 146"	42.40	39.01	36.04
111094-020	ANGLE, 2.000 X 1.000 X .125, SATIN NATURAL, 146"	57.74	53.12	49.08
111094-123	ANGLE, 2.000 X 1.000 X .125, BUFFED SATIN BLACK, 146"	67.75	62.33	59.62

Item #	Description	Discount Quantity Pricing		
		1	25	100
111094-128	ANGLE, 2.000 X 1.000 X .125, BUFFED SATIN STAINLESS STEEL, 146"	65.09	59.88	55.33
111094-218	ANGLE, 2.000 X 1.000 X .125, BRUSHED BRITE STAINLESS STEEL, 146"	82.78	76.16	70.36
111095	FLAT BAR, 2.000 X .125, (NON-ANODIZED), 146"	28.23	25.97	24.00
111097	ANGLE, 4.000 X 2.000 X .125, (NON-ANODIZED), 146"	86.69	79.75	73.69
111108	ANGLE, .750 X .750 X .125, (NON-ANODIZED), 146"	20.32	18.69	17.27
111108-110	ANGLE, .750 X .750 X .125, BUFFED BRITE NATURAL, 146"	30.94	28.46	26.30
111108-123	ANGLE, .750 X .750 X .125, BUFFED SATIN BLACK, 146"	32.68	30.07	28.76
111108-218	ANGLE, .750 X .750 X .125, BRUSHED BRITE STAINLESS STEEL, 146"	36.15	33.26	30.73
111110	TUBE, SQUARE 4.000 X 4.000 X .125 WALL, (NON-ANODIZED), 146"	243.21	223.75	206.73
111113	BAR, RECTANGLE 1.500 X .500, (NON-ANODIZED), 146"	87.41	80.42	74.30
111116	STRIP, FACETED 2.000 X .125, (NON-ANODIZED), 146"	19.37	17.82	16.46
120016	H CHANNEL, .380 X .581, (NON-ANODIZED), 146"	8.92	8.21	7.58
120041	J CHANNEL, .312, (NON-ANODIZED), 146"	9.89	9.10	8.41
120041-110	J CHANNEL, .312, BUFFED BRITE NATURAL, 146"	19.96	18.36	16.97
120041-113	J CHANNEL, .312, BUFFED BRITE BLACK, 146"	22.70	20.88	19.98
120041-123	J CHANNEL, .312, BUFFED SATIN BLACK, 146"	22.84	21.01	20.10
120041-218	J CHANNEL, .312, BRUSHED BRITE STAINLESS STEEL, 146"	24.63	22.66	20.94
120050	FRAME, MIRROR, (NON-ANODIZED), 146"	23.93	22.02	20.34
120052	BRACKET, MOUNT, (NON-ANODIZED), 146"	9.80	9.02	8.33
120054	FRAME MIRROR, (NON-ANODIZED), 146"	19.24	17.70	16.35
120054-218	FRAME MIRROR, BRUSHED BRITE STAINLESS STEEL, 146"	34.96	32.16	29.72
120055	J CHANNEL, .625, (NON-ANODIZED), 146"	13.96	12.84	11.87
120055-020	J CHANNEL, .625, SATIN NATURAL, 146"	20.87	19.20	17.74
120055-110	J CHANNEL, .625, BUFFED BRITE NATURAL, 146"	25.37	23.34	21.56
120055-123	J CHANNEL, .625, BUFFED SATIN BLACK, 146"	27.70	25.48	24.38
120055-218	J CHANNEL, .625, BRUSHED BRITE STAINLESS STEEL, 146"	29.14	26.81	24.77
120057	MIRROR TRIM, SINGLE FLANGE, (NON-ANODIZED), 146"	11.74	10.80	9.98
120058	MOLDING, EDGE COLUMN, (NON-ANODIZED), 146"	32.95	30.31	28.01
120058-020	MOLDING, EDGE COLUMN, SATIN NATURAL, 146"	52.38	48.19	44.52
120058-110	MOLDING, EDGE COLUMN, BUFFED BRITE NATURAL, 146"	54.65	50.28	46.45
120059	TRIM MIRROR ANGLE, (NON-ANODIZED), 146"	4.81	4.43	4.09
120059-020	TRIM MIRROR ANGLE, SATIN NATURAL, 146"	13.30	12.24	11.31
120059-110	TRIM MIRROR ANGLE, BUFFED BRITE NATURAL, 146"	18.12	16.67	15.40
120059-112	TRIM MIRROR ANGLE, BUFFED BRITE BRONZE, 146"	20.17	18.56	17.14
120059-113	TRIM MIRROR ANGLE, BUFFED BRITE BLACK, 146"	23.30	21.44	20.50
120059-123	TRIM MIRROR ANGLE, BUFFED SATIN BLACK, 146"	23.52	21.64	20.70
120059-218	TRIM MIRROR ANGLE, BRUSHED BRITE STAINLESS STEEL, 146"	15.66	14.41	13.31
120061	MIRROR TRIM, DOUBLE FLANGE, (NON-ANODIZED), 146"	17.13	15.76	14.56
120062	TRIM, MIRROR 45°, (NON-ANODIZED), 146"	16.42	15.11	13.96
120062-110	TRIM, MIRROR 45°, BUFFED BRITE NATURAL, 146"	28.10	25.85	23.89
120063	MOLDING, CORNER COLUMN, (NON-ANODIZED), 150"	43.88	40.37	37.30
120064	MOLDING, CORNER COLUMN W/1.50 RADIUS, (NON-ANODIZED), 146"	54.31	49.97	46.16
120064-218	MOLDING, CORNER COLUMN W/1.50 RADIUS, BRUSHED BRITE STAINLESS STEEL, 146"	73.00	67.16	62.05
120065	TRIM, MIRROR COLUMN 90°, (NON-ANODIZED), 146"	35.55	32.71	30.22
120065-020	TRIM, MIRROR COLUMN 90°, SATIN NATURAL, 146"	50.16	46.15	42.64

Item #	Description	Discount Quantity Pricing		
		1	25	100
120066	TRIM, MIRROR COLUMN 135°, (NON-ANODIZED), 146"	28.81	26.51	24.49
120067	MOLDING, OUTSIDE CORNER, (NON-ANODIZED), 146"	28.87	26.56	24.54
120067-010	MOLDING, OUTSIDE CORNER, BRITE NATURAL, 146"	39.64	36.47	33.69
120075	MOLDING, COLUMN EDGE 90° .50, (NON-ANODIZED), 146"	38.84	35.73	33.01
120086	ANGLE, ALUM 3.000 X .500, (NON-ANODIZED), 146"	47.00	43.24	39.95
170008	EXTRUSION, WALL JAMB, (NON-ANODIZED), 146"	24.76	22.78	21.05
170008-020	EXTRUSION, WALL JAMB, SATIN NATURAL, 146"	35.34	32.51	30.04
170009	CAP, HEADER, (NON-ANODIZED), 146"	15.01	13.81	12.76
170009-020	CAP, HEADER, SATIN NATURAL, 146"	24.57	22.60	20.88
170011	POST, CORNER, (NON-ANODIZED), 84"	46.98	43.22	39.93
170011-020	POST, CORNER, SATIN NATURAL, 84"	62.80	57.78	53.38
170012	HEADER, JAMB, (NON-ANODIZED), 146"	28.39	26.12	24.13
170012-020	HEADER, JAMB, SATIN NATURAL, 146"	39.36	36.21	33.46
170013	STRIP, FILLER FITTING ROOM CORNER POST, (NON-ANODIZED), 84"	5.13	4.72	4.36
170013-020	STRIP, FILLER FITTING ROOM CORNER POST, SATIN NATURAL, 84"	11.11	10.22	9.44
170014	POST, CORNER, (NON-ANODIZED), 146"	87.76	80.74	74.60
170016	POST, CORNER, (NON-ANODIZED), 92"	55.30	50.88	47.01
180055	TUBE, ROUND .386 OD X .286 ID, (NON-ANODIZED), 146"	6.61	6.08	5.62
180127	DOWNTUBE, .448 OD .286 ID, (NON-ANODIZED), 146"	11.68	10.75	9.93
190061	SNAP FRAME, 1 3/8, (NON-ANODIZED), 102"	12.05	11.09	10.24
190093	BACK FRAME, 1 3/8 PRINT FRAME, (NON-ANODIZED), 102"	19.02	17.50	16.17
190172	ANGLE, 1.000 X 1.000 X .125, (NON-ANODIZED), 146"	25.89	23.82	22.01
190172-020	ANGLE, 1.000 X 1.000 X .125, SATIN NATURAL, 146"	36.59	33.66	31.10
190172-110	ANGLE, 1.000 X 1.000 X .125, BUFFED BRITE NATURAL, 146"	40.42	37.19	34.36
190172-112	ANGLE, 1.000 X 1.000 X .125, BUFFED BRITE BRONZE, 146"	42.47	39.07	36.10
190172-123	ANGLE, 1.000 X 1.000 X .125, BUFFED SATIN BLACK, 146"	43.48	40.00	38.26
190172-218	ANGLE, 1.000 X 1.000 X .125, BRUSHED BRITE STAINLESS STEEL, 146"	41.51	38.19	35.28
420068-020	J CHANNEL W/MOUNT HOLES, .312, SATIN NATURAL, 146"	18.80	17.30	15.98
420068-110	J CHANNEL W/MOUNT HOLES, .312, BUFFED BRITE NATURAL, 146"	22.52	20.72	19.14
420068-113	J CHANNEL W/MOUNT HOLES, .312, BUFFED BRITE BLACK, 146"	28.09	25.84	23.88
420068-118	J CHANNEL W/MOUNT HOLES, .312, BUFFED BRITE STAINLESS STEEL, 146"	23.10	21.25	19.64
420068-120	J CHANNEL W/MOUNT HOLES, .312, BUFFED SATIN NATURAL, 146"	22.69	20.87	19.29
420068-121	J CHANNEL W/MOUNT HOLES, .312, BUFFED SATIN BRASS, 146"	23.48	21.60	19.96
420068-123	J CHANNEL W/MOUNT HOLES, .312, BUFFED SATIN BLACK, 146"	28.26	26.00	24.02
420068-218	J CHANNEL W/MOUNT HOLES, .312, BRUSHED BRITE STAINLESS STEEL, 146"	22.09	20.32	18.78
420068-220	J CHANNEL W/MOUNT HOLES, .312, BRUSHED SATIN NATURAL, 146"	21.99	20.23	18.69
420107-020	J CHANNEL W/MOUNT HOLES, .625, SATIN NATURAL, 146"	23.55	21.67	20.02
420107-110	J CHANNEL W/MOUNT HOLES, .625, BUFFED BRITE NATURAL, 146"	25.93	23.86	22.04
420107-113	J CHANNEL W/MOUNT HOLES, .625, BUFFED BRITE BLACK, 146"	31.50	28.98	26.78
420107-118	J CHANNEL W/MOUNT HOLES, .625, BUFFED BRITE STAINLESS STEEL, 146"	26.52	24.40	22.54
420107-120	J CHANNEL W/MOUNT HOLES, .625, BUFFED SATIN NATURAL, 146"	26.10	24.01	22.19
420107-121	J CHANNEL W/MOUNT HOLES, .625, BUFFED SATIN BRASS, 146"	26.27	24.17	22.33
420107-123	J CHANNEL W/MOUNT HOLES, .625, BUFFED SATIN BLACK, 146"	31.67	29.14	26.92
420107-210	J CHANNEL W/MOUNT HOLES, .625, BRUSHED BRITE NATURAL, 146"	31.91	29.36	27.12
420107-218	J CHANNEL W/MOUNT HOLES, .625, BRUSHED BRITE STAINLESS STEEL, 146"	32.08	29.51	27.27

Item #	Description	Discount Quantity Pricing		
		1	25	100
420107-220	J CHANNEL W/MOUNT HOLES, .625, BRUSHED SATIN NATURAL, 146"	31.98	29.42	27.18
420109-020	MIRROR TRIM, DOUBLE FLANGE W/MOUNT HOLES, SATIN NATURAL, 146"	33.18	30.53	28.20
420109-110	MIRROR TRIM, DOUBLE FLANGE W/MOUNT HOLES, BUFFED BRITE NATURAL, 146"	36.82	33.87	31.30
420109-123	MIRROR TRIM, DOUBLE FLANGE W/MOUNT HOLES, BUFFED SATIN BLACK, 146"	45.24	41.62	38.45
470010-020	JAMB, DOOR W/SLOTS 84.00, SATIN NATURAL, 84"	38.84	35.73	33.01
470012-020	CHANNEL, WALL JAMB, SATIN NATURAL, 146"	44.23	40.69	37.60

Stock Length Rolling Door Assemblies

All of the extrusions are shipped at full stock length of 12'.
(Lock and glazing vinyl are sold separately).

Item #	Description	Discount Quantity Pricing			
		1	5	10	25
610005-02-020	STOCK LENGTH ROLLING DOOR ASSY, STANDARD, SATIN NATURAL, 146"	136.13	130.68	127.96	125.24
610005-02-120	STOCK LENGTH ROLLING DOOR ASSY, STANDARD, BUFFED SATIN NATURAL, 146"	148.91	142.95	139.98	137.00
610005-02-123	STOCK LENGTH ROLLING DOOR ASSY, STANDARD, BUFFED SATIN BLACK, 146"	188.90	181.34	177.57	173.79
610007-02-020	STOCK LENGTH ROLLING DOOR ASSY, ECONOMY, SATIN NATURAL, 146"	102.32	98.23	96.18	94.13
610007-02-120	STOCK LENGTH ROLLING DOOR ASSY, ECONOMY, BUFFED SATIN NATURAL, 146"	113.90	109.34	107.07	104.79
610007-02-123	STOCK LENGTH ROLLING DOOR ASSY, ECONOMY, BUFFED SATIN BLACK, 146"	140.60	134.98	132.16	129.35
610060-02-020	STOCK LENGTH ROLLING DOOR ASSY, WOOD, SATIN NATURAL, 146"	50.36	48.35	47.34	46.33
610060-02-023	STOCK LENGTH ROLLING DOOR ASSY, WOOD, SATIN BLACK, 146"	62.52	60.02	58.77	57.52
610099-02-020	STOCK LENGTH ROLLING DOOR ASSY, LOW PROFILE, SATIN NATURAL, 146"	112.40	107.90	105.66	103.41
610099-02-120	STOCK LENGTH ROLLING DOOR ASSY, LOW PROFILE, BUFFED SATIN NATURAL, 146"	127.33	122.24	119.69	117.14
610099-02-123	STOCK LENGTH ROLLING DOOR ASSY, LOW PROFILE, BUFFED SATIN BLACK, 146"	152.19	146.10	143.06	140.01
610143-02-020	STOCK LENGTH ROLLING DOOR ASSY, ANTI-JUMP, SATIN NATURAL, 146"	188.89	181.33	177.56	173.78
610143-02-110	STOCK LENGTH ROLLING DOOR ASSY, ANTI-JUMP, BUFFED BRITE NATURAL, 146"	211.22	202.77	198.55	194.32
610143-02-120	STOCK LENGTH ROLLING DOOR ASSY, ANTI-JUMP, BUFFED SATIN NATURAL, 146"	226.68	217.61	213.08	208.55
610143-02-123	STOCK LENGTH ROLLING DOOR ASSY, ANTI-JUMP, BUFFED SATIN BLACK, 146"	261.13	250.68	245.46	240.24
610143-02-210	STOCK LENGTH ROLLING DOOR ASSY, ANTI-JUMP, BRUSHED BRITE NATURAL, 146"	245.25	235.44	230.54	225.63
610143-02-218	STOCK LENGTH ROLLING DOOR ASSY, ANTI-JUMP, BRUSHED BRITE STAINLESS STEEL, 146"	234.53	225.15	220.46	215.77
610143-02-220	STOCK LENGTH ROLLING DOOR ASSY, ANTI-JUMP, BRUSHED SATIN NATURAL, 146"	240.16	230.55	225.75	220.95
610146-02-020	STOCK LENGTH ROLLING DOOR ASSY, WOOD, SECURITY, SATIN NATURAL, 146"	98.23	94.30	92.34	90.37
610146-02-023	STOCK LENGTH ROLLING DOOR ASSY, WOOD, SECURITY, SATIN BLACK, 146"	131.19	125.94	123.32	120.69
610165-02-020	STOCK LENGTH ROLLING DOOR ASSY, TRIPLE TRACK, SATIN NATURAL, 146"	160.78	154.35	151.13	147.92
610165-02-123	STOCK LENGTH ROLLING DOOR ASSY, TRIPLE TRACK, BUFFED SATIN BLACK, 146"	224.44	215.46	210.97	206.48
610185-02-020	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110412 SHOE), SATIN NATURAL, 146"	195.13	187.32	183.42	179.52
610185-02-110	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110412 SHOE), BUFFED BRITE NATURAL, 146"	223.78	214.83	210.35	205.88
610185-02-120	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110412 SHOE), BUFFED SATIN NATURAL, 146"	237.41	227.91	223.17	218.42
610185-02-123	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110412 SHOE), BUFFED SATIN BLACK, 146"	269.22	258.45	253.07	247.68
610185-02-210	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110412 SHOE), BRUSHED BRITE NATURAL, 146"	243.90	234.14	229.27	224.39
610185-02-218	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110412 SHOE), BRUSHED BRITE STAINLESS STEEL, 146"	231.49	222.23	217.60	212.97
610185-02-220	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110412 SHOE), BRUSHED SATIN NATURAL, 146"	234.28	224.91	220.22	215.54
610187-02-020	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110140 SHOE), SATIN NATURAL, 146"	228.57	219.43	214.86	210.28
610187-02-110	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110140 SHOE), BUFFED BRITE NATURAL, 146"	264.08	253.52	248.24	242.95
610187-02-120	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110140 SHOE), BUFFED SATIN NATURAL, 146"	275.91	264.87	259.36	253.84
610187-02-123	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110140 SHOE), BUFFED SATIN BLACK, 146"	317.83	305.12	298.76	292.40
610187-02-210	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110140 SHOE), BRUSHED BRITE NATURAL, 146"	294.36	282.59	276.70	270.81
610187-02-218	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110140 SHOE), BRUSHED BRITE STAINLESS STEEL, 146"	282.75	271.44	265.79	260.13
610187-02-220	STOCK LENGTH ROLLING DOOR ASSY, SECURITY (110140 SHOE), BRUSHED SATIN NATURAL, 146"	285.60	274.18	268.46	262.75

Rolling Door Kits (pre-cut lengths)

All of the extrusions are cut to a nominal length to accommodate a 36", 48" or 72" opening. Field cut to fit your specific opening. (Lock is sold separately).

Item #	Description	Unit Price
610099-03-020	ROLLING DOOR KIT, LOW PROFILE, SATIN NATURAL, 36"	59.00
610099-04-020	ROLLING DOOR KIT, LOW PROFILE, SATIN NATURAL, 48"	67.00
610099-06-020	ROLLING DOOR KIT, LOW PROFILE, SATIN NATURAL, 72"	87.00
610143-06-020	ROLLING DOOR KIT, ANTI-JUMP, SATIN NATURAL, 72"	190.00
610143-06-123	ROLLING DOOR KIT, ANTI-JUMP, BUFFED SATIN BLACK, 72"	225.00
610185-03-020	ROLLING DOOR KIT, SECURITY (110412 SHOE), SATIN NATURAL, 36"	94.00
610185-03-123	ROLLING DOOR KIT, SECURITY (110412 SHOE), BUFFED SATIN BLACK, 36"	106.00
610185-04-020	ROLLING DOOR KIT, SECURITY (110412 SHOE), SATIN NATURAL, 48"	129.00
610185-04-123	ROLLING DOOR KIT, SECURITY (110412 SHOE), BUFFED SATIN BLACK, 48"	151.00
610185-06-020	ROLLING DOOR KIT, SECURITY (110412 SHOE), SATIN NATURAL, 72"	136.00
610185-06-123	ROLLING DOOR KIT, SECURITY (110412 SHOE), BUFFED SATIN BLACK, 72"	159.00
610187-06-020	ROLLING DOOR KIT, SECURITY (110140 SHOE), SATIN NATURAL, 72"	207.00
610187-06-123	ROLLING DOOR KIT, SECURITY (110140 SHOE), BUFFED SATIN BLACK, 72"	246.00

See more info about our Rolling Doors in our product catalog [HERE](#)

Accessories

Item #	Description	Discount Quantity Pricing			
		1	10	25	50
119001B	GLAZING VINYL, .187, 250 FT ROLL BULK	53.99	51.83	50.75	49.67
119003-01B	GLAZING VINYL, .218 BLACK, 250 FT ROLL BULK	53.99	51.83	50.75	49.67
119003-02B	GLAZING VINYL, .218 GRAY, 250 FT ROLL BULK	57.60	55.30	54.14	52.99
119004B	GLAZING VINYL .25 BLACK, 250 FT ROLL BULK	57.22	54.93	53.79	52.64
119006	INSERT, TRACK SLIDE	18.81	18.06	17.68	17.31
119032	GUIDE DOOR, VINYL 96 INCH, (NON-ANODIZED), 96"	5.10	4.90	4.79	4.69
221014B	BUMPER, RUBBER 0.44 DIA X 0.20, 56 COUNT SHEET BULK	9.64	9.25	9.06	8.87
221015B	BUMPER, RUBBER 0.50 DIA X 0.140, 56 COUNT SHEET BULK	8.91	8.55	8.38	8.20
224022	HINGE, BUTT 3.50 X 3.50 BRUSHED NICKEL W/6 SCREWS	4.11	3.95	3.86	3.78
226010-01	FELT .062 X .750 X 132, GREY	7.14	6.85	6.71	6.57
226010-02	FELT .062 X .750 X 132, BROWN	6.02	5.78	5.66	5.54
226010-03	FELT .062 X .750 X 132, BEIGE	4.60	4.42	4.32	4.23
226011-01	FELT .062 X 1.750 X 84, GREY	10.49	10.07	9.86	9.65
226011-03	FELT .062 X 1.750 X 84, BEIGE	6.82	6.55	6.41	6.27
226013B	GLAZING STRIP, .500, 125 FT ROLL BULK	59.37	57.00	55.81	54.62
226014B	SETTING BLOCK, .500 X .625 X 4.00, 25 COUNT PACKAGE BULK	60.09	57.69	56.48	55.28
226015B	SETTING BLOCK, 1/4 X 5/8 X 4, 25 COUNT PACKAGE BULK	15.39	14.77	14.47	14.16
226016B	GLAZING STRIP, .250, 125 FT ROLL BULK	51.31	49.26	48.23	47.21
226021B	GLAZING STRIP, .375, 500 FT ROLL BULK	209.87	201.48	197.28	193.08
226022B	GLAZING STRIP, .375 W/HOOK, 500 FT ROLL BULK	204.49	196.31	192.22	188.13
226023	TAPE, SETTING GLASS 1.500 X .031 BLK	0.43	0.41	0.40	0.40
226024B	GLAZING VINYL, .500 BLACK NEOPRENE, 500 FT BULK	177.62	170.52	166.96	163.41
226025B	GLAZING, .500 BLACK THERMOPLASTIC RUBBER, 500 FT BULK	182.99	175.67	172.01	168.35
229070	LOCK, RATCHET DISC TUMBLER STANDARD POLISHED NICKEL W/2 KEYS	26.55	25.49	24.96	24.43
310008-02	DOOR PULL, .375 DIA, NATURAL	2.96	2.84	2.78	2.72
310008-03	DOOR PULL, .375 DIA, SATIN BLACK	4.54	4.36	4.27	4.18
310074	BUMPER, HEAVY DUTY .750	1.66	1.59	1.56	1.53
310204-110	ENDCAP, HALF ROUND 1.50 DIA, 110200, BUFFED BRITE NATURAL	14.12	13.56	13.27	12.99
310204-210	ENDCAP, HALF ROUND 1.50 DIA, 110200, BRUSHED BRITE NATURAL	14.09	13.53	13.24	12.96
310205-110	ENDCAP, HALF ROUND 2.00 DIA, 110201 & 110295, BUFFED BRITE NATURAL	9.68	9.29	9.10	8.91
310205-210	ENDCAP, HALF ROUND 2.00 DIA, 110201 & 110295, BRUSHED BRITE NATURAL	9.58	9.20	9.01	8.81
310205-218	ENDCAP, HALF ROUND 2.00 DIA, 110201 & 110295, BRUSHED BRITE STAINLESS STEEL	16.66	15.99	15.66	15.33
310206-110	ENDCAP, HALF ROUND 3.00 DIA, 110202, BUFFED BRITE NATURAL	16.66	15.99	15.66	15.33
310207-110	ENDCAP, HALF ROUND 4.00 DIA, 110210, BUFFED BRITE NATURAL	18.39	17.65	17.29	16.92
310207-210	ENDCAP, HALF ROUND 4.00 DIA, 110210, BRUSHED BRITE NATURAL	18.33	17.60	17.23	16.86
310209-110	ENDCAP, HALF ROUND 6.00 DIA, 110212, BUFFED BRITE NATURAL	18.50	17.76	17.39	17.02
310210-110	ENDCAP, TRIM CROWN RH, 110214, BUFFED BRITE NATURAL	27.78	26.67	26.11	25.56
310211-110	ENDCAP, TRIM CROWN LH, 110214, BUFFED BRITE NATURAL	27.78	26.67	26.11	25.56
310212-110	ENDCAP, RECTANGULAR 1.37 X .328, 110223, BUFFED BRITE NATURAL	9.01	8.65	8.47	8.29
310212-210	ENDCAP, RECTANGULAR 1.37 X .328, 110223, BRUSHED BRITE NATURAL	8.03	7.71	7.55	7.39

Item #	Description	Discount Quantity Pricing			
		1	10	25	50
310213-110	ENDCAP, RECTANGULAR 1.50 X .50, 110225, BUFFED BRITE NATURAL	11.24	10.79	10.57	10.34
310213-210	ENDCAP, RECTANGULAR 1.50 X .50, 110225, BRUSHED BRITE NATURAL	11.21	10.76	10.54	10.31
310214-110	ENDCAP, RECTANGULAR 3.00 X .75, 110226, BUFFED BRITE NATURAL	14.42	13.84	13.55	13.27
310215-110	ENDCAP, RECTANGULAR 4.00 X .75, 110227, BUFFED BRITE NATURAL	18.39	17.65	17.29	16.92
310215-120	ENDCAP, RECTANGULAR 4.00 X .75, 110227, BUFFED SATIN NATURAL	25.58	24.56	24.05	23.53
310215-210	ENDCAP, RECTANGULAR 4.00 X .75, 110227, BRUSHED BRITE NATURAL	18.33	17.60	17.23	16.86
310218-110	ENDCAP, RECTANGULAR 2.00 X 4.00, 110232, BUFFED BRITE NATURAL	15.00	14.40	14.10	13.80
310218-210	ENDCAP, RECTANGULAR 2.00 X 4.00, 110232, BRUSHED BRITE NATURAL	14.94	14.34	14.04	13.74
310219-110	ENDCAP, INSIDE COVE, 110233, BUFFED BRITE NATURAL	20.95	20.11	19.69	19.27
310219-210	ENDCAP, INSIDE COVE, 110233, BRUSHED BRITE NATURAL	20.55	19.73	19.32	18.91
310227-110	ENDCAP, STEPPED 4.50 X 1.50 LH, 110244, BUFFED BRITE NATURAL	19.67	18.88	18.49	18.10
310228-110	ENDCAP, STEPPED 4.50 X 1.50 RH, 110244, BUFFED BRITE NATURAL	19.67	18.88	18.49	18.10
310229-110	ENDCAP, RECTANGULAR 3.00 X 1.50, 110245, BUFFED BRITE NATURAL	11.49	11.03	10.80	10.57
310229-210	ENDCAP, RECTANGULAR 3.00 X 1.50, 110245, BRUSHED BRITE NATURAL	11.44	10.98	10.75	10.52
310233-110	ENDCAP, RECTANGULAR .75 X 5.00, 110260, BUFFED BRITE NATURAL	17.74	17.03	16.68	16.32
310235-110	ENDCAP, RECTANGULAR 6.00 X .75, 110269, BUFFED BRITE NATURAL	22.49	21.59	21.14	20.69
310239-110	ENDCAP, QUARTER ROUND 3.00 RH, 110286, BUFFED BRITE NATURAL	24.44	23.46	22.97	22.48
310240-110	ENDCAP, QUARTER ROUND 1.50 RH, 110290, BUFFED BRITE NATURAL	17.27	16.58	16.23	15.89
310241-110	ENDCAP, RECTANGULAR SCALLOPED, 110294, BUFFED BRITE NATURAL	19.99	19.19	18.79	18.39
310242-110	ENDCAP, QUARTER ROUND 3.00 LH, 110286, BUFFED BRITE NATURAL	24.80	23.81	23.31	22.82
310243-110	ENDCAP, QUARTER ROUND 1.50 LH, 110290, BUFFED BRITE NATURAL	19.30	18.53	18.14	17.76
310244-110	ENDCAP, QUARTER ROUND 1.25 RH, 110299, BUFFED BRITE NATURAL	14.17	13.60	13.32	13.04
310244-210	ENDCAP, QUARTER ROUND 1.25 RH, 110299, BRUSHED BRITE NATURAL	15.65	15.02	14.71	14.40
310245-110	ENDCAP, QUARTER ROUND 1.25 LH, 110299, BUFFED BRITE NATURAL	17.40	16.70	16.36	16.01
310245-210	ENDCAP, QUARTER ROUND 1.25 LH, 110299, BRUSHED BRITE NATURAL	17.36	16.67	16.32	15.97
310246-110	ENDCAP, FLUTED 2.875 X 3.000, 110301, BUFFED BRITE NATURAL	18.38	17.64	17.28	16.91
310249-110	ENDCAP, HALF ROUND 2.50 DIA, 110310, BUFFED BRITE NATURAL	16.98	16.30	15.96	15.62
310250-110	ENDCAP, RECTANGULAR 2 X .625, 110307, BUFFED BRITE NATURAL	12.90	12.38	12.13	11.87
310250-210	ENDCAP, RECTANGULAR 2 X .625, 110307, BRUSHED BRITE NATURAL	12.85	12.34	12.08	11.82
310251-110	ENDCAP, RECTANGULAR 2.25 X .50, 110304, BUFFED BRITE NATURAL	13.61	13.07	12.79	12.52
310251-218	ENDCAP, RECTANGULAR 2.25 X .50, 110304, BRUSHED BRITE STAINLESS STEEL	14.81	14.22	13.92	13.63
310252-110	ENDCAP, QUARTER ROUND 2.00 RH, 110308, BUFFED BRITE NATURAL	14.58	14.00	13.71	13.41
310253-110	ENDCAP, QUARTER ROUND 2.00 LH, 110308, BUFFED BRITE NATURAL	14.58	14.00	13.71	13.41
310254-110	ENDCAP, QUARTER ROUND 2.50 RH, 110309, BUFFED BRITE NATURAL	15.42	14.80	14.49	14.19
310254-210	ENDCAP, QUARTER ROUND 2.50 RH, 110309, BRUSHED BRITE NATURAL	15.38	14.76	14.46	14.15
310255-110	ENDCAP, QUARTER ROUND 2.50 LH, 110309, BUFFED BRITE NATURAL	14.69	14.10	13.81	13.51
310255-210	ENDCAP, QUARTER ROUND 2.50 LH, 110309, BRUSHED BRITE NATURAL	14.65	14.06	13.77	13.48
310259-110	ENDCAP, STEPPED 3.00 X 1.00 LH, 110325, BUFFED BRITE NATURAL	21.59	20.73	20.29	19.86
310259-210	ENDCAP, STEPPED 3.00 X 1.00 LH, 110325, BRUSHED BRITE NATURAL	21.53	20.67	20.24	19.81
310260-110	ENDCAP, STEPPED 3.00 X 1.00 RH, 110325, BUFFED BRITE NATURAL	21.59	20.73	20.29	19.86
310260-210	ENDCAP, STEPPED 3.00 X 1.00 RH, 110325, BRUSHED BRITE NATURAL	21.53	20.67	20.24	19.81
310286-110	ENDCAP, STREAMLINE, 110381, BUFFED BRITE NATURAL	18.59	17.85	17.47	17.10
310287-110	ENDCAP, CROWN CLASSIC LH, 110382, BUFFED BRITE NATURAL	16.93	16.25	15.91	15.58
310287-210	ENDCAP, CROWN CLASSIC LH, 110382, BRUSHED BRITE NATURAL	16.87	16.20	15.86	15.52
310288-110	ENDCAP, CROWN CLASSIC RH, 110382, BUFFED BRITE NATURAL	16.93	16.25	15.91	15.58

Item #	Description	Discount Quantity Pricing			
		1	10	25	50
310288-210	ENDCAP, CROWN CLASSIC RH, 110382, BRUSHED BRITE NATURAL	16.87	16.20	15.86	15.52
310289-110	ENDCAP, NEW WAVE FOR 110384, BUFFED BRITE NATURAL	22.12	21.24	20.79	20.35
310290-110	ENDCAP, CLASSIC TRIM LH, 110385, BUFFED BRITE NATURAL	21.49	20.63	20.20	19.77
310291-110	ENDCAP, CLASSIC TRIM RH, 110385, BUFFED BRITE NATURAL	21.49	20.63	20.20	19.77
310292-110	ENDCAP, CLASSIC COVE LH, 110383, BUFFED BRITE NATURAL	17.03	16.35	16.01	15.67
310293-110	ENDCAP, CLASSIC COVE RH, 110383, BUFFED BRITE NATURAL	17.03	16.35	16.01	15.67
310323-110	ENDCAP, HALF ROUND 1.00 DIA, 110328, BUFFED BRITE NATURAL	4.61	4.43	4.33	4.24
310323-210	ENDCAP, HALF ROUND 1.00 DIA, 110328, BRUSHED BRITE NATURAL	4.68	4.49	4.40	4.31
310324-110	ENDCAP, 1.00 HALF ROUND W/CHANNEL LH, 110432, BUFFED BRITE NATURAL	11.77	11.30	11.06	10.83
310324-210	ENDCAP, 1.00 HALF ROUND W/CHANNEL LH, 110432, BRUSHED BRITE NATURAL	12.35	11.86	11.61	11.36
310325-110	ENDCAP, 1.00 HALF ROUND W/CHANNEL RH, 110432, BUFFED BRITE NATURAL	11.77	11.30	11.06	10.83
310325-210	ENDCAP, 1.00 HALF ROUND W/CHANNEL RH, 110432, BRUSHED BRITE NATURAL	12.35	11.86	11.61	11.36
310342	BRACKET, VERTICAL MALL FRONT	2.43	2.33	2.28	2.24
310351	HINGE, PIANO 1.25 W/UNEQUAL LEGS, (NON-ANODIZED), 96"	18.07	17.35	16.99	16.62
310351-018	HINGE, PIANO 1.25 W/UNEQUAL LEGS, BRITE STAINLESS STEEL, 96"	25.40	24.38	23.88	23.37
310354-01	BRACKET, CORNER 90° ANGLE	51.23	49.18	48.16	47.13
310354-02	BRACKET, CORNER 135° ANGLE	56.06	53.82	52.70	51.58
310354-03	BRACKET, CORNER 120° ANGLE	53.57	51.43	50.36	49.28
310374-110	ENDCAP, REFLECTOR LH, 110296, BUFFED BRITE NATURAL	9.81	9.42	9.22	9.03
310374-210	ENDCAP, REFLECTOR LH, 110296, BRUSHED BRITE NATURAL	9.70	9.31	9.12	8.92
310375-110	ENDCAP, REFLECTOR RH, 110296, BUFFED BRITE NATURAL	9.81	9.42	9.22	9.03
310375-210	ENDCAP, REFLECTOR RH, 110296, BRUSHED BRITE NATURAL	9.70	9.31	9.12	8.92
310377-110	ENDCAP, STEPPED 3.00 X 1.00 LH, 110420, BUFFED BRITE NATURAL	18.75	18.00	17.63	17.25
310378-110	ENDCAP, STEPPED 3.00 X 1.00 RH, 110420, BUFFED BRITE NATURAL	19.56	18.78	18.39	18.00
310385-110	ENDCAP, 2.00 X 1.50 MOLDING RH, 110400, BUFFED BRITE NATURAL	18.29	17.56	17.19	16.83
310385-210	ENDCAP, 2.00 X 1.50 MOLDING RH, 110400, BRUSHED BRITE NATURAL	18.27	17.54	17.17	16.81
310386-110	ENDCAP, 2.00 X 1.50 MOLDING LH, 110400, BUFFED BRITE NATURAL	18.29	17.56	17.19	16.83
310386-210	ENDCAP, 2.00 X 1.50 MOLDING LH, 110400, BRUSHED BRITE NATURAL	18.27	17.54	17.17	16.81
310398-110	ENDCAP, 2.00 PANEL, 110469, BUFFED BRITE NATURAL	15.77	15.14	14.82	14.51
310399-110	ENDCAP, AMERICAN TRADITIONAL LH, 110465, BUFFED BRITE NATURAL	26.23	25.18	24.66	24.13
310399-123	ENDCAP, AMERICAN TRADITIONAL LH, 110465, BUFFED SATIN BLACK	29.13	27.96	27.38	26.80
310400-110	ENDCAP, AMERICAN TRADITIONAL RH, 110465, BUFFED BRITE NATURAL	26.23	25.18	24.66	24.13
310400-123	ENDCAP, AMERICAN TRADITIONAL RH, 110465, BUFFED SATIN BLACK	29.13	27.96	27.38	26.80
310403-110	ENDCAP, TRIMMAKER, 110410, BUFFED BRITE NATURAL	13.50	12.96	12.69	12.42
310403-210	ENDCAP, TRIMMAKER, 110410, BRUSHED BRITE NATURAL	10.08	9.68	9.48	9.27
310403-218	ENDCAP, TRIMMAKER, 110410, BRUSHED BRITE STAINLESS STEEL	14.50	13.92	13.63	13.34
310735-110	ENDCAP, TRIM RECTANGULAR 1.00 X 2.00, 110639, BUFFED BRITE NATURAL	18.66	17.91	17.54	17.17
310735-210	ENDCAP, TRIM RECTANGULAR 1.00 X 2.00, 110639, BRUSHED BRITE NATURAL	18.62	17.88	17.50	17.13
370006	HOOK, COAT BRITE	14.17	-	-	-
370008	LATCH, DOOR BRITE	19.35	-	-	-
380700-110	ENDCAP, REFLECTOR RH FOR 110719 & 180139, BUFFED BRITE NATURAL	24.18	23.21	22.73	22.25
380701-110	ENDCAP, REFLECTOR LH FOR 110719 & 180139, BUFFED BRITE NATURAL	24.18	23.21	22.73	22.25
392716B	CLIP, AXIA MOUNT 100 COUNT BULK, (NON-ANODIZED)	125.00	-	-	-
410001-020	DOOR PULL, SATIN NATURAL, 2.75"	5.34	5.13	5.02	4.91
410002-020	DOOR PULL, SATIN NATURAL, 2.75"	5.27	5.06	4.95	4.85

Item #	Description	Discount Quantity Pricing			
		1	10	25	50
410002-123	DOOR PULL, BUFFED SATIN BLACK, 2.75"	10.98	10.54	10.32	10.10
410002-218	DOOR PULL, BRUSHED BRITE STAINLESS STEEL, 2.75"	9.38	9.00	8.82	8.63
410101-020	DRAWER PULL, SATIN NATURAL, 3.75"	5.72	5.49	5.38	5.26
410101-110	DRAWER PULL, BUFFED BRITE NATURAL, 3.75"	6.00	5.76	5.64	5.52
410101-123	DRAWER PULL, BUFFED SATIN BLACK, 3.75"	8.04	7.72	7.56	7.40
410101-218	DRAWER PULL, BRUSHED BRITE STAINLESS STEEL, 3.75"	5.75	5.52	5.41	5.29
410103-020	DRAWER PULL, .813 30° GUARD, SATIN NATURAL, 3.75"	5.97	5.73	5.61	5.49
410103-110	DRAWER PULL, .813 30° GUARD, BUFFED BRITE NATURAL, 3.75"	4.81	4.62	4.52	4.43
410103-123	DRAWER PULL, .813 30° GUARD, BUFFED SATIN BLACK, 3.75"	8.19	7.86	7.70	7.53
410103-210	DRAWER PULL, .813 30° GUARD, BRUSHED BRITE NATURAL, 3.75"	5.80	5.57	5.45	5.34
410103-218	DRAWER PULL, .813 30° GUARD, BRUSHED BRITE STAINLESS STEEL, 3.75"	6.55	6.29	6.16	6.03
410114-020	DRAWER PULL, .750 FLAT GUARD, SATIN NATURAL, 3.75"	6.63	6.36	6.23	6.10
410114-110	DRAWER PULL, .750 FLAT GUARD, BUFFED BRITE NATURAL, 3.75"	6.24	5.99	5.87	5.74
410114-123	DRAWER PULL, .750 FLAT GUARD, BUFFED SATIN BLACK, 3.75"	8.35	8.02	7.85	7.68
410114-218	DRAWER PULL, .750 FLAT GUARD, BRUSHED BRITE STAINLESS STEEL, 3.75"	10.36	9.95	9.74	9.53
410123-020	DRAWER PULL, W/LABEL HOLDER, SATIN NATURAL, 3.75"	7.06	6.78	6.64	6.50
410123-110	DRAWER PULL, W/LABEL HOLDER, BUFFED BRITE NATURAL, 3.75"	9.80	9.41	9.21	9.02
410123-118	DRAWER PULL, W/LABEL HOLDER, BUFFED BRITE STAINLESS STEEL, 3.75"	9.82	9.43	9.23	9.03
410123-218	DRAWER PULL, W/LABEL HOLDER, BRUSHED BRITE STAINLESS STEEL, 3.75"	7.91	7.59	7.44	7.28
410311-010	PLATE, HINGE 2.00, BRITE NATURAL	5.52	5.30	5.19	5.08
410311-011	PLATE, HINGE 2.00, BRITE BRASS	5.51	5.29	5.18	5.07
410311-020	PLATE, HINGE 2.00, SATIN NATURAL	5.57	5.35	5.24	5.12
410311-120	PLATE, HINGE 2.00, BUFFED SATIN NATURAL	5.18	4.97	4.87	4.77
410311-213	PLATE, HINGE 2.00, BRUSHED BRITE BLACK	7.34	7.05	6.90	6.75
410366-110	ENDCAP, WALLMAKER 2.00 110483, BUFFED BRITE NATURAL	8.49	8.15	7.98	7.81
410366-120	ENDCAP, WALLMAKER 2.00 110483, BUFFED SATIN NATURAL	8.54	8.20	8.03	7.86
410366-123	ENDCAP, WALLMAKER 2.00 110483, BUFFED SATIN BLACK	12.77	12.26	12.00	11.75
410366-218	ENDCAP, WALLMAKER 2.00 110483, BRUSHED BRITE STAINLESS STEEL	9.32	8.95	8.76	8.57
410367-110	ENDCAP, WALLMAKER 4.00 110482, BUFFED BRITE NATURAL	9.82	9.43	9.23	9.03
410367-120	ENDCAP, WALLMAKER 4.00 110482, BUFFED SATIN NATURAL	9.87	9.48	9.28	9.08
410367-123	ENDCAP, WALLMAKER 4.00 110482, BUFFED SATIN BLACK	11.44	10.98	10.75	10.52
410367-218	ENDCAP, WALLMAKER 4.00 110482, BRUSHED BRITE STAINLESS STEEL	9.92	9.52	9.32	9.13
410381-010	RETAINER, DOOR SECURITY, BRITE NATURAL	0.32	0.31	0.30	0.29
410381-011	RETAINER, DOOR SECURITY, BRITE BRASS	0.54	0.52	0.51	0.50
410381-013	RETAINER, DOOR SECURITY, BRITE BLACK	0.34	0.33	0.32	0.31
410381-016	RETAINER, DOOR SECURITY, BRITE BROWN	0.37	0.36	0.35	0.34
410381-018	RETAINER, DOOR SECURITY, BRITE STAINLESS STEEL	0.36	0.35	0.34	0.33
410381-020B	RETAINER, DOOR SECURITY, SATIN NATURAL, 20 COUNT BULK	22.10	21.22	20.77	20.33
410381-021	RETAINER, DOOR SECURITY, SATIN BRASS	0.34	0.33	0.32	0.31
410381-023B	RETAINER, DOOR SECURITY, SATIN BLACK, 20 COUNT BULK	23.80	22.85	22.37	21.90
410381-026	RETAINER, DOOR SECURITY, SATIN BROWN	0.34	0.33	0.32	0.31
410412-110	ENDCAP, TOP CHANNEL 110360, BUFFED BRITE NATURAL	16.25	15.60	15.28	14.95
410412-120	ENDCAP, TOP CHANNEL 110360, BUFFED SATIN NATURAL	14.30	13.73	13.44	13.16
410412-123	ENDCAP, TOP CHANNEL 110360, BUFFED SATIN BLACK	16.55	15.89	15.56	15.23
410412-218	ENDCAP, TOP CHANNEL 110360, BRUSHED BRITE STAINLESS STEEL	14.86	14.27	13.97	13.67

Item #	Description	Discount Quantity Pricing			
		1	10	25	50
410413-110	ENDCAP, BOTTOM CHANNEL 1.00 110361, BUFFED BRITE NATURAL	16.28	15.63	15.30	14.98
410413-120	ENDCAP, BOTTOM CHANNEL 1.00 110361, BUFFED SATIN NATURAL	14.20	13.63	13.35	13.06
410413-123	ENDCAP, BOTTOM CHANNEL 1.00 110361, BUFFED SATIN BLACK	16.13	15.48	15.16	14.84
410413-218	ENDCAP, BOTTOM CHANNEL 1.00 110361, BRUSHED BRITE STAINLESS STEEL	14.86	14.27	13.97	13.67
410444-010	RETAINER, .750 DOOR SECURITY, BRITE NATURAL	1.36	1.31	1.28	1.25
410444-011	RETAINER, .750 DOOR SECURITY, BRITE BRASS	1.64	1.57	1.54	1.51
410444-018	RETAINER, .750 DOOR SECURITY, BRITE STAINLESS STEEL	1.64	1.57	1.54	1.51
410444-020B	RETAINER, .750 DOOR SECURITY, SATIN NATURAL, 20 COUNT BULK	28.80	27.65	27.07	26.50
410444-021	RETAINER, .750 DOOR SECURITY, SATIN BRASS	1.66	1.59	1.56	1.53
410444-023B	RETAINER, .750 DOOR SECURITY, SATIN BLACK, 20 COUNT BULK	29.24	28.07	27.49	26.90
410454-010	RETAINER, DOOR WOOD SECURITY, BRITE NATURAL	3.23	3.10	3.04	2.97
410454-011	RETAINER, DOOR WOOD SECURITY, BRITE BRASS	3.17	3.04	2.98	2.92
410454-018	RETAINER, DOOR WOOD SECURITY, BRITE STAINLESS STEEL	3.18	3.05	2.99	2.93
410454-020B	RETAINER, DOOR WOOD SECURITY, SATIN NATURAL, 20 COUNT BULK	51.00	48.96	47.94	46.92
410454-023B	RETAINER, DOOR WOOD SECURITY, SATIN BLACK, 20 COUNT BULK	61.54	59.08	57.85	56.62
410515-010	FILLER, SHOE 1.406, BRITE NATURAL	3.61	3.47	3.39	3.32
410515-011	FILLER, SHOE 1.406, BRITE BRASS	3.66	3.51	3.44	3.37
410515-020	FILLER, SHOE 1.406, SATIN NATURAL	3.72	3.57	3.50	3.42
410542-120	ENDCAP, WALLMAKER 110483, BUFFED SATIN NATURAL	26.13	25.08	24.56	24.04
410542-123	ENDCAP, WALLMAKER 110483, BUFFED SATIN BLACK	27.71	26.60	26.05	25.49
410542-218	ENDCAP, WALLMAKER 110483, BRUSHED BRITE STAINLESS STEEL	26.11	25.07	24.54	24.02
410543-120	ENDCAP, WALLMAKER 4.00 110482, BUFFED SATIN NATURAL	27.65	26.54	25.99	25.44
410543-123	ENDCAP, WALLMAKER 4.00 110482, BUFFED SATIN BLACK	29.23	28.06	27.48	26.89
410543-218	ENDCAP, WALLMAKER 4.00 110482, BRUSHED BRITE STAINLESS STEEL	36.26	34.81	34.08	33.36
410544-120	ENDCAP, BOTTOM 6.00 X .50 110481, BUFFED SATIN NATURAL	22.56	21.66	21.21	20.76
410544-123	ENDCAP, BOTTOM 6.00 X .50 110481, BUFFED SATIN BLACK	24.14	23.17	22.69	22.21
410544-218	ENDCAP, BOTTOM 6.00 X .50 110481, BRUSHED BRITE STAINLESS STEEL	22.34	21.45	21.00	20.55
410545-110	ENDCAP, WALLMAKER 6.00 110481, BUFFED BRITE NATURAL	15.61	14.99	14.67	14.36
410545-120	ENDCAP, WALLMAKER 6.00 110481, BUFFED SATIN NATURAL	15.66	15.03	14.72	14.41
410545-123	ENDCAP, WALLMAKER 6.00 110481, BUFFED SATIN BLACK	17.24	16.55	16.21	15.86
410545-218	ENDCAP, WALLMAKER 6.00 110481, BRUSHED BRITE STAINLESS STEEL	14.48	13.90	13.61	13.32
410896-120	ENDCAP, DELUXE HEADER .125 110434, BUFFED SATIN NATURAL	13.98	13.42	13.14	12.86
410896-123	ENDCAP, DELUXE HEADER .125 110434, BUFFED SATIN BLACK	15.55	14.93	14.62	14.31
410896-218	ENDCAP, DELUXE HEADER .125 110434, BRUSHED BRITE STAINLESS STEEL	14.27	13.70	13.41	13.13
412434-120	ENDCAP, 2 X 8 111007, BUFFED SATIN NATURAL	40.28	38.67	37.86	37.06
412434-123	ENDCAP, 2 X 8 111007, BUFFED SATIN BLACK	41.85	40.18	39.34	38.50
412434-218	ENDCAP, 2 X 8 111007, BRUSHED BRITE STAINLESS STEEL	40.22	38.61	37.81	37.00
412435-120	ENDCAP, 2 1/2 X 8 111011, BUFFED SATIN NATURAL	41.01	39.37	38.55	37.73
412435-123	ENDCAP, 2 1/2 X 8 111011, BUFFED SATIN BLACK	42.58	40.88	40.03	39.17
412435-218	ENDCAP, 2 1/2 X 8 111011, BRUSHED BRITE STAINLESS STEEL	40.96	39.32	38.50	37.68
412436-120	ENDCAP, 2 1/2 X 6 111014, BUFFED SATIN NATURAL	35.04	33.64	32.94	32.24
412436-123	ENDCAP, 2 1/2 X 6 111014, BUFFED SATIN BLACK	36.62	35.16	34.42	33.69
412436-218	ENDCAP, 2 1/2 X 6 111014, BRUSHED BRITE STAINLESS STEEL	34.98	33.58	32.88	32.18
412437-120	ENDCAP, 2 1/2 X 4 111015, BUFFED SATIN NATURAL	29.17	28.00	27.42	26.84
412437-123	ENDCAP, 2 1/2 X 4 111015, BUFFED SATIN BLACK	30.74	29.51	28.90	28.28

Item #	Description	Discount Quantity Pricing			
		1	10	25	50
412437-218	ENDCAP, 2 1/2 X 4 111015, BRUSHED BRITE STAINLESS STEEL	29.09	27.93	27.34	26.76
412443-120	ENDCAP, TOP CHANNEL, 111010, BUFFED SATIN NATURAL	20.52	19.70	19.29	18.88
412443-123	ENDCAP, TOP CHANNEL, 111010, BUFFED SATIN BLACK	22.09	21.21	20.76	20.32
412443-218	ENDCAP, TOP CHANNEL, 111010, BRUSHED BRITE STAINLESS STEEL	20.41	19.59	19.19	18.78
412456-120	ENDCAP, TOP CHANNEL, 111089/90, BUFFED SATIN NATURAL	21.57	20.71	20.28	19.84
412456-123	ENDCAP, TOP CHANNEL, 111089/90, BUFFED SATIN BLACK	23.15	22.22	21.76	21.30
412456-218	ENDCAP, TOP CHANNEL, 111089/90, BRUSHED BRITE STAINLESS STEEL	21.46	20.60	20.17	19.74
412457-120	ENDCAP, TOP CHANNEL, 111091/92, BUFFED SATIN NATURAL	20.65	19.82	19.41	19.00
412457-123	ENDCAP, TOP CHANNEL, 111091/92, BUFFED SATIN BLACK	22.22	21.33	20.89	20.44
412457-218	ENDCAP, TOP CHANNEL, 111091/92, BRUSHED BRITE STAINLESS STEEL	20.54	19.72	19.31	18.90
419007B	GUIDE, TOP, 100 COUNT BULK	14.49	13.91	13.62	13.33
419030B	GUIDE, TOP VINYL, 100 COUNT BULK	32.24	30.95	30.31	29.66
419070	TRIMMAKER, PLASTIC SNAP ADAPTOR FOR 2IN OPENING, GREEN	1.88	1.80	1.77	1.73
419071	TRIMMAKER, PLASTIC SNAP ADAPTOR FOR 3IN OPENING, YELLOW	2.05	1.97	1.93	1.89
419072	TRIMMAKER, PLASTIC SNAP ADAPTOR FOR 4.5IN OPENING, ORANGE	2.30	2.21	2.16	2.12
419073	TRIMMAKER, PLASTIC SNAP BASE FOR 1IN OPENING, BLACK	2.77	2.66	2.60	2.55
419074	TRIMMAKER, PLASTIC SNAP BASE FOR 5/8 OPENING, GREY	2.70	2.59	2.54	2.48
419076	TRIMMAKER, PLASTIC SNAP BASE LOBE FOR 5/8 OPENING, RED	2.72	2.61	2.56	2.50
419077	TRIMMAKER, PLASTIC SNAP BASE FOR 1.00 IN OPENING, BLUE	1.09	1.05	1.02	1.00
480989-110	ENDCAP, 1.00 DIA REFLECTOR 180133, BUFFED BRITE NATURAL	15.38	14.76	14.46	14.15
480989-210	ENDCAP, 1.00 DIA REFLECTOR 180133, BRUSHED BRITE NATURAL	15.38	14.76	14.46	14.15
510001B	WHEEL ASSY , STANDARD, 100 COUNT BULK	91.64	87.97	86.14	84.31
510006B	KIT, DOOR BUMPER, 25 COUNT BULK	21.26	20.41	19.98	19.56
510014B	KIT, DOOR STOP HEAVY DUTY.50, 10 COUNT BULK	20.17	19.36	18.96	18.56
510015B	KIT, DOOR STOP HEAVY DUTY .75, 10 COUNT BULK	21.73	20.86	20.43	19.99
510016-02	KIT, STANDARD DOOR PULL, NATURAL	7.68	7.37	7.22	7.07
510016-03	KIT, STANDARD DOOR PULL, BLACK	10.65	10.22	10.01	9.80
510041B	WHEEL ASSY, HEAVY DUTY, 100 COUNT BULK	80.63	77.40	75.79	74.18
510060B	KIT, HEAVY DUTY DOOR STOP, 10 COUNT BULK	20.19	19.38	18.98	18.57
510199-01	KIT, 7/8 CAM LOCK W/2 KEYS	24.25	23.28	22.80	22.31
510241-020B	KIT, ENDCAP SHOE STANDARD 110140 SATIN NATURAL, 4 COUNT BULK	15.50	14.88	14.57	14.26
510241-023B	KIT, ENDCAP SHOE STANDARD 110140 SATIN BLACK, 4 COUNT BULK	15.50	14.88	14.57	14.26
510245B	KIT, LATCH AND STRIKE PLATE, 4 COUNT BULK	30.18	28.97	28.37	27.77
510274	KIT, BRACKET WALLMAKER 90°	55.17	52.96	51.86	50.76
510331-020B	KIT, ENDCAP FOR 110350 SHOE SATIN NATURAL, 4 COUNT BULK	15.00	14.40	14.10	13.80
510331-023B	KIT, ENDCAP FOR 110350 SHOE SATIN BLACK, 4 COUNT BULK	15.00	14.40	14.10	13.80
510349B	KIT, DOUBLE MINI LATCH, 4 COUNT BULK	106.28	102.03	99.90	97.78
510371-020B	KIT, ENDCAP FOR 110412 SHOE SATIN NATURAL, 4 COUNT BULK	17.00	16.32	15.98	15.64
510371-023B	KIT, ENDCAP FOR 110412 SHOE SATIN BLACK, 4 COUNT BULK	17.00	16.32	15.98	15.64
510440	KIT, BRACKET 135° WALLMAKER	63.49	60.95	59.68	58.41
510458	BRACKET ASSY, T MALL FRONT	6.44	6.18	6.05	5.92
510459	BRACKET ASSY, L MALL FRONT	3.39	3.25	3.19	3.12
510540	BRACKET KIT, 120° MALLFRONT	57.44	55.14	53.99	52.84
510571-01-123	GLASS CLIP ASSY, SQUARE, BUFFED SATIN BLACK	61.37	58.61	-	-
510583-01-123	GLASS CLIP ASSY, WALL MOUNT SQUARE, BUFFED SATIN BLACK	36.37	34.73	-	-

Item #	Description	Discount Quantity Pricing			
		1	10	25	50
510585-01-123	GLASS CLIP ASSY, 90° SQUARE, BUFFED SATIN BLACK	66.83	63.82	-	-
510808-01	LOCK KIT, K41 W/S STYLE PLUNGER D1 LOCK	34.70	33.31	32.62	31.92
511040-01	KIT, LOCK CENTER PLUNGER D1 W/2 KEYS	48.31	46.38	45.41	44.45
511178B	SHOE TOP GUIDE ASSEMBLY, 10 COUNT BULK	31.32	30.07	29.44	28.81
511212-030	KIT, AXIA STARTER, FLASH ANODIZED SEALED NATURAL, 10 COUNT	18.32	17.59	17.22	16.85
511213-030	KIT, AXIA INTERMEDIATE, FLASH ANODIZED SEALED NATURAL, 50 COUNT	89.05	85.49	83.71	81.93
511214-030	KIT, AXIA END, FLASH ANODIZED SEALED NATURAL, 10 COUNT	18.78	18.03	17.65	17.28
511215-030	KIT, AXIA STARTER / END, FLASH ANODIZED SEALED NATURAL, 10 COUNT	37.32	35.83	35.08	34.33
511219-030	KIT, STARTER 3.999 CONCAVE AXIA, FLASH ANODIZED SEALED NATURAL, 10 COUNT	18.80	18.05	17.67	17.30
511220-030	KIT, INTERMEDIATE 3.999 CONCAVE AXIA, FLASH ANODIZED SEALED NATURAL, 50 COUNT	92.40	88.70	86.86	85.01
511221-030	KIT, END 3.999 CONCAVE AXIA, FLASH ANODIZED SEALED NATURAL, 10 COUNT	20.39	19.57	19.17	18.76
511222-030	KIT, STARTER / END 3.999 CONCAVE AXIA, FLASH ANODIZED SEALED NATURAL, 10 COUNT	40.73	39.10	38.29	37.47
570003	KIT, LEVELER	2.39	2.29	2.25	2.20
570004-020	KIT, BRACKET, SATIN NATURAL	9.52	9.14	8.95	8.76
570005	PANEL CLIP ASSY, 4 CLIP AND HARDWARE	6.66	6.39	6.26	6.13
570545	KIT, TEE BRACKET FITTING ROOM HEADER W/SCREWS	12.10	11.62	11.37	11.13
570546	KIT, DRILL JIG FITTING ROOM	53.94	51.78	50.70	49.62
592004	CLIP, AXIA PRO MOUNT, 50 COUNT	20.89	20.05	19.64	19.22
915077	PUNCH, RETAINER FOR 410381 110140 110412	174.00	-	-	-
915078	PUNCH, SECURITY TRACK	214.00	-	-	-
915079	PUNCH, RETAINER FOR 410444 110012	193.00	-	-	-



Stylmark, Inc.
6536 Main Street NE, PO Box 32008
Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415
stylmark.com info@stylmark.com